CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

Volume 25, 1988

Author Index / Index des auteurs

Achab, A. Mise en évidence d'un provincialisme chez les chitinozoaires ordoviciens, 635

Ager, T.A. see Frederiksen, N.O., 512

Aksu, A.E., and Vilks, G. Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments, 701

Alexopoulos, J. see Grieve, R.A.F., 1530

Amos, C.L., and Nadeau, O.C. Surficial sediments of the outer banks, Scotian Shelf, Canada, 1923

Anderson, P.M., Reanier, R.E., and Brubaker, L.B. Late Quaternary vegetational history of the Black River region in northeastern Alaska, 84

Archibald, D.A. see Kontak, D.J., 1151

Archibald, D.A. see Hanes, J.A., 1834

Arkani-Hamed, J., and Strangway, D.W. Interpretation of the aeromagnetic anomalies of southern Vancouver Island, 801

Ashmore, P.E., and Day, T.J. Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin, 1450

Baadsgaard, H., Lerbekmo, J.F., and McDougall, I. A radiometric age for the Cretaceous–Tertiary boundary based upon K–Ar, Rb–Sr, and U–Pb ages of bentonites from Alberta, Saskatchewan, and Montana, 1088

Baadsgaard, H. see Yanagi, T., 1123

Balch, S.J. see Harding, K.L., 1141

Barbarin, B. Field evidence for successive mixing and mingling between the Piolard Diorite and the Saint-Julien-la-Vêtre Monzogranite (Nord–Forez, Massif Central, France), 49

Barr, S.M. see Fyffe, L., 1674

Barrett, T.J., Fralick, P.W., and Jarvis, I. Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario, 570

Bartlett, J.R. see Davis, D.W., 1751

Beaty, D.W., Hahn, G.A., and Threlkeld, W.E. Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt–Purcell Supergroup: genetic constraints and exploration significance for Sullivan type ore deposits, 392

Beaudoin, G. see Schrijver, K., 1777

Bédard, J.H.J., Francis, D.M., and Ludden, J. Petrology and pyroxene chemistry of Monteregian dykes: the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres, 2041

Bernardin, C., Cornée, J.-J., Corsini, M., Mayol, S., Muller, J., et Tayebi, M. Variations d'épaisseur du cambrien moyen en Meseta marocaine occidentale : signification géodynamique des données de surface et de subsurface, 2104

Betcher, R.N., Gascoyne, M., and Brown, D. Uranium in groundwaters of southeastern Manitoba, Canada, 2089

Bevier, M.L. see Fyffe, L., 1674

Biksham, G. see d'Anglejan, B., 930

Blackburn, C.E. see Melling, D.R., 2075

Bond, G.C. see Devlin, W.J., 1

Bond, G.C. see Devlin, W.J., 1906

Bonifay, D., and Piper, D.J.W. Probable Late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada, 853

Borradaile, G., Sarvas, P., Dutka, R., Stewart, R., and Stubley, M. Transpression in slates along the margin of an Archean gneiss belt, northern Ontario—magnetic fabrics and petrofabrics, 1069

Boudal, C., et Robin, C. Relations entre dynamismes éruptifs et réalimentations magmatiques d'origine profonde au Popocatépetl, 955

Brandon, M.T. see Clowes, R.M., 164

Bromley, R.G. see Pemberton, S.G., 866

Brook, M. see Irwin, J.J., 603

Brookes, I.A. Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada: Discussion, 1338

Brown, A.C. see Tourigny, G., 581

Brown, D. see Betcher, R.N., 2089

Brown, R.L., and Lane, L.S. Tectonic interpretation of west-verging folds in the Selkirk Allochthon of the southern Canadian Cordillera, 292

Brubaker, L.B. see Anderson, P.M., 84

Brueckner, H.K. see Devlin, W.J., 1906

Bryan, R.B. see Sutherland, R.A., 167

Burn, C.R., and Michel, F.A. Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada, 909

Burwash, E.J. see Burwash, R.A., 824

Burwash, R.A., Cavell, P.A., and Burwash, E.J. Source terranes for Proterozoic sedimentary rocks in southern British Columbia: Nd isotopic and petrographic evidence 824

Bustin, R.M. see Moffat, I.W., 1571

Butler, R.F., Harms, T.A., and Gabrielse, H. Cretaceous remagnetization in the Sylvester Allochthon: limits to post-105 Ma northward displacement of north-central British Columbia, 1316

Caldwell, W.G.E. see Whittaker, S.G., 1554

Calvez, J.Y. see Schrijver, K., 1777

Cavell, P.A. see Burwash, R.A., 824

Chamberlain, V.E., Lambert, R. St J., Duke, M.J.M., and Holland, J.G. Geochemistry of the gneissic basement complex near Valemount, British Columbia: further evidence for a varied origin, 1725

Christiansen, E.A., and Sauer, E.K. Age of the Frenchman Valley and associated drift south of the Cypress Hills, Saskatchewan, Canada, 1703

Christiansen, E.A., and Sauer, E.K. Fire Lake depression: a glacially eroded feature in southwestern Saskatchewan, Canada, 2130

Churcher, C.S. see Nielsen, E., 933

Clague, J.J., Saunders, I.R., and Roberts, M.C. Ice-free conditions in southwestern British Columbia at 16 000 years BP, 938

Clark, B.M. see Eyles, N., 1108

Clark, G.S., and Schledewitz, D.C.P. Rubidium–strontium ages of Archean and Proterozoic rocks in the Nejanilini and Great Island domains, Churchill Province, northern Manitoba, Canada, 246

Clark, P.U. Glacial geology of the Torngat Mountains, Labrador, 1184

Clark, S.J. see Hanes, J.A., 1834

Clarke, G.K.C. see Narod, B.B., 95

Clarke, G.K.C. see Waddington, E.D., 657
Clowes, R.M., Brandon, M.T., Green, A.G., Yorath, C.J., Sutherland Brown, A., Kanasewich, E.R., and Spencer, C.J. LITHOPROBE—southern Vancouver Island: Cenozoic subduction complex imaged by deep seismic reflections: Reply, 164
Clowes, R.M. see Dehler, S.A., 1857
Colgan, E.A. see Smith, C.B., 790
Colman-Sadd, S.P. see Stockmal, G.S., 1917
Colwell, J.A. see Papezik, V.S., 74
Cook, F.A. see Eaton, D.W.S., 1339
Cormier, R.F., Keppie, J.D., and Odom, A.L. U–Pb and Rb–Sr geochronology of the Wedgeport granitoid pluton, southwestern Nova Scotia, 255
Cornée, J.-J. see Bernardin, C., 2104
Corsini, M. see Bernardin, C., 2104
Cousens, B.L. Isotopically depleted, alkalic lavas from Bowie Seamount, northeast Pacific Ocean, 1708
Créaau, R. see Tourigny, G., 581
Cruden, D.M. see Tsui, P.C., 1420
Currie, P.J., and Russell, D.A. Osteology and relationships of *Chirostenotes pergracilis* (Saurischia, Theropoda) from the Judith River (Oldman) Formation of Alberta, Canada, 972
Currie, P.J. see Dodson, P., 926
Daley, P.F. see Pascoe, L.J., 226
Dalrymple, R.W. see Flint, J.E., 1175
d'Anglejan, B., and Biksham, G. Late winter – early spring sedimentation off the Great Whale River, southeastern Hudson Bay, 930
Davis, D.W., and Bartlett, J.R. Geochronology of the Belmont Lake Metavolcanic Complex and implications for crustal development in the Central Metasedimentary Belt, Grenville Province, Ontario, 1751
Dawes, P.R., Larsen, O., and Kalsbeek, F. Archean and Proterozoic crust in North-West Greenland: evidence from Rb–Sr whole-rock age determinations, 1365
Day, T.J. see Ashmore, P.E., 1450
Dehler, S.A., and Clowes, R.M. The Queen Charlotte Islands refraction project. Part I. The Queen Charlotte Fault Zone, 1857
Delorme, L.D. see Westgate, J.A., 1721
Deonarine, B. see Vilks, G., 1240
Devlin, W.J., and Bond, G.C. The initiation of the early Paleozoic Cordilleran miogeocline: evidence from the uppermost Proterozoic – Lower Cambrian Hamill Group of southeastern British Columbia, 1
Devlin, W.J., Brueckner, H.K., and Bond, G.C. New isotopic data and a preliminary age for volcanics near the base of the Windermere Supergroup, northeastern Washington, U.S.A., 1906
diCenzo, P. see Woo, M.-k., 625
Diemer, J.A. Subaqueous outwash deposits in the Ingraham ridge, Chazy, New York, 1384
Dodson, P., and Currie, P.J. The smallest ceratopsid skull—Judith River Formation of Alberta, 926
Donaldson, J.A. see Rainbird, R.H., 710
Dredge, L.A. Drift carbonate on the Canadian Shield. II: Carbonate dispersal and ice-flow patterns in northern Manitoba, 783
Driver, J.C. Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, northeast British Columbia, 1545
Duke, M.J.M. see Chamberlain, V.E., 1725
Dutka, R. see Borradaile, G., 1069
Eaton, D.W.S., and Cook, F.A. LITHOPROBE seismic reflection imaging of Rocky Mountain structures east of Canal Flats, British Columbia, 1339
Edwards, L.E. see Frederiksen, N.O., 512
Edwards, T.W.D., and Fritz, P. Stable-isotope paleoclimate records for southern Ontario, Canada: comparison of results from marl and wood, 1397
Eiríksson, J. see Kristjánsson, L., 215
Elias, S.A. Climatic significance of Late Pleistocene insect fossils from Marias Pass, Montana, 922
Elverhøi, A. see Solheim, A., 547
Embry, A.F., and Osadetz, K.G. Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago, 1209
Engelmark, H. Rates of infiltration into frozen and unfrozen fine sand, 343
Erdmer, P. see Gower, C.F., 1895
Evans, I. see Hall, S.A., 1407
Eyles, N., and Clark, B.M. Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance, 1108
Farrar, E. see Kontak, D.J., 1151
Fisher, B.E. see Hall, J.M., 1304
Fisher, D.A. see Klassen, R.A., 1740
Flint, J.E., Dalrymple, R.W., and Flint, J.J. Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels, 1175
Flint, J.J. see Flint, J.E., 1175
Fox, T.P. see Ueng, W.C., 528
Fralick, P.W. see Barrett, T.J., 570
Francis, D. see St. Seymour, K., 691
Francis, D.M. see Bédard, J.H.J., 2041
Franklin, J.M. see Groves, D.A., 280
Frape, S.K. see O'Shea, K.J., 182
Frape, S.K. see Fritz, P., 195
Fraser, G.T. see Taylor, S.B., 1020
Frederiksen, N.O., Ager, T.A., and Edwards, L.E. Palynology of Maastrichtian and Paleocene rocks, lower Colville River region, North Slope of Alaska, 512
French, H.M., and Gozdzik, J.S. Pleistocene epigenetic and syngenetic frost fissures, Bełchatów, Poland, 2017
French, H.M. see Harry, D.G., 1846
Frey, R.W. see Pemberton, S.G., 866
Fritz, P., Lapcevic, P.A., Miles, M., Frape, S.K., Lawson, D.E., and O'Shea, K.J. Stable isotopes in sulphate minerals from the Salina formation in southwestern Ontario, 195
Fritz, P. see O'Shea, K.J., 182
Fritz, P. see Edwards, T.W.D., 1397
Fritz, W.H., and Yochelson, E.L. The status of *Salterella* as a Lower Cambrian index fossil, 403
Fryer, B.J. see Kerrich, R., 945
Fyffe, L., Barr, S.M., and Bevier, M.L. Origin and U–Pb geochronology of amphibolite-facies metamorphic rocks, Miramichi Highlands, New Brunswick, 1674
Fyson, W.K., and Helmstaedt, H. Structural patterns and tectonic evolution of supracrustal domains in the Archean Slave Province, Canada, 301
Gabrielse, H. see Butler, R.F., 1316
Gandhi, S.S. see Schärer, U., 1098
García, C. see Irwin, J.J., 603
Gardiner, S., and Hiscott, R.N. Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland, 1579
Garver, J. Stratigraphy, depositional setting, and tectonic signifi-

cance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington, 417
Gascoyne, M. see Betcher, R.N., 2089
Gélinas, L. see Paradis, S., 134
Gilbert, R. see Lemmen, D.S., 810
Globerman, B.R. see Marquis, G., 2005
Godwin, C.I. see Höy, T., 1534
Gower, C.F., and Erdmer, P. Proterozoic metamorphism in the Grenville Province: a study in the Double Mer – Lake Melville area, eastern Labrador, 1895
Gozdzik, J.S. see French, H.M., 2017
Gray, D.M., and Landine, P.G. An energy-budget snowmelt model for the Canadian Prairies, 1292
Gray, E.A. see Shaw, D.M., 1485
Green, A.G. see Clowes, R.M., 164
Greenough, J.D. see Papezik, V.S., 74
Greenough, J.D. see Owen, J.V., 1464
Grieve, R.A.F., and Alexopoulos, J. Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous–Tertiary boundary event, 1530
Groves, D.A., Morton, R.L., and Franklin, J.M. Physical volcanology of the footwall rocks near the Mattabi massive sulphide deposit, Sturgeon Lake, Ontario, 280
Grün, R. see Zymela, S., 235
Gudmundsson, A.I. see Kristjánsson, L., 215
Guex, J. see Smith, P.L., 1503
Hahn, G.A. see Beaty, D.W., 392
Hall, J.M., and Fisher, B.E. The Iceland Research Drilling Project crustal section: stable remagnetization below 3 km crustal depth, 1304
Hall, R.I. see Lemmen, D.S., 810
Hall, S.A., and Evans, I. Paleomagnetic study of the Ordovician Table Head Group, Port au Port Peninsula, Newfoundland, 1407
Halls, H.C., and Shaw, E.G. Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tilting, 732
Hanes, J.A., Clark, S.J., and Archibald, D.A. An $^{40}Ar/^{39}Ar$ geochronological study of the Elzevir batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada, 1834
Hanmer, S. Ductile thrusting at mid-crustal level, southwestern Grenville Province, 1049
Harding, K.L., Morris, W.A., Balch, S.J., Lapointe, P., and Latham, A.G. A comparison of magnetic character and alteration in three granite drill cores from eastern Canada, 1141
Harms, T.A. see Butler, R.F., 1316
Harry, D.G., French, H.M., and Pollard, W.H. Massive ground ice and ice-cored terrain near Sabine Point, Yukon Coastal Plain, 1846
Hasselgren, E. see Kumarapeli, S., 1824
Hawthorne, J.B. see Smith, C.B., 790
Hayatsu, A. see Hodych, J.P., 1972
Haynes, F.M. Fluid-inclusion evidence of basinal brines in Archean basement, Thunder Bay Pb–Zn–Ba district, Ontario, Canada, 1884
Hébert, R. see Serri, G., 557
Hekinian, R. see Serri, G., 557
Helmstaedt, H. see Fyson, W.K., 301
Henderson, P.J. Sedimentation in an esker system influenced by bedrock topography near Kingston, Ontario, 987
Hervé, F. see Irwin, J.J., 603
Hickin, E.J., and Sichingabula, H.M. The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia, 1078
Hicock, S.R. Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario: Reply, 800
Hiscott, R.N. see Gardiner, S., 1579
Hodgson, C.J. see Piroshco, D.W., 2028
Hodych, J.P., and Hayatsu, A. Paleomagnetism and K–Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada, 1972
Holland, J.G. see Chamberlain, V.E., 1725
Höy, T., and Godwin, C.I. Significance of a Cambrian date from galena lead-isotope data for the stratiform Cottonbelt deposit in the Monashee Complex, southeastern British Columbia, 1534
Höy, T., and van der Heyden, P. Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia, 106
Hron, F. see Pascoe, L.J., 226
Hubert, C. see Tourigny, G., 581
Hudleston, P.J., Schultz-Ela, D., and Southwick, D.L. Transpression in an Archean greenstone belt, northern Minnesota, 1060
Hutchinson, G. see Smith, C.B., 790
Hy, C. see Owen, J.V., 1464
Irving, E. see Wynne, P.J., 1220
Irwin, J.J., García, C., Hervé, F., and Brook, M. Geology of part of a long-lived dynamic plate margin: the coastal cordillera of north-central Chile, latitude 30°51′–31°S, 603
Jarvis, I. see Barrett, T.J., 570
Jóhannesson, H. see Kristjánsson, L., 215
Johnson, S.Y. see Taylor, S.B., 1020
Jones, A.G. A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan: Discussion, 1132
Jones, B., and Smith, D.S. Open and filled karst features on the Cayman Islands: implications for the recognition of paleokarst, 1277
Jones, F.W. see Rouleau, P., 1649
Jones, L.M., and Mossman, D.J. The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia, 942
Kalsbeek, F., Taylor, P.N., and Pidgeon, R.T. Unreworked Archaean basement and Proterozoic supracrustal rocks from northeastern Disko Bugt, West Greenland: implications for the nature of Proterozoic mobile belts in Greenland, 773
Kalsbeek, F. see Dawes, P.R., 1365
Kanasewich, E.R. see Clowes, R.M., 164
Karrow, P.F. The Lake Algonquin shoreline, Kincardine – Port Elgin, Ontario, 157
Keen, C.E. see Todd, B.J., 744
Keen, C.E. see Stockmal, G.S., 1917
Kehlenbeck, M.M. A fault-bounded outlier of Archean clastic rocks near Thunder Bay, Ontario, 152
Keppie, J.D. see Cormier, R.F., 255
Kerrich, R., and Fryer, B.J. Lithophile-element systematics of Archean greenstone belt Au–Ag vein deposits: implications for source processes, 945
Klassen, R.A., and Fisher, D.A. Basal-flow conditions at the northeastern margin of the Laurentide Ice Sheet, Lancaster Sound, 1740
Kontak, D.J., Tuach, J., Strong, D.F., Archibald, D.A., and Farrar, E. Plutonic and hydrothermal events in the Ackley Granite, southeast Newfoundland, as indicated by total-fusion $^{40}Ar/^{39}Ar$ geochronology, 1151

Koski, R.A. Ferromanganese deposits from the Gulf of Alaska Seamount Province: mineralogy, chemistry, and origin, 116

Kristjánsson, L., Jóhannesson, H., Eiriksson, J., and Gudmundsson, A.I. Brunhes–Matuyama paleomagnetism in three lava sections in Iceland, 215

Krogh, T.E., Strong, D.F., O'Brien, S.J., and Papezik, V.S. Precise U–Pb zircon dates from the Avalon Terrane in Newfoundland, 442

Krogh, T.E. see Schärer, U., 1098

Kumarapeli, S., St. Seymour, K., Pintson, H., and Hasselgren, E. Volcanism on the passive margin of Laurentia: an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin, 1824

Kyser, T.K. see Whittaker, S.G., 1554

Lambert, R. St J. see Chamberlain, V.E., 1725

Lammers, G.E. see Nielsen, E., 933

Landine, P.G. see Gray, D.M., 1292

Lane, L.S. see Brown, R.L., 292

Lane, T.E. see Swinden, H.S., 593

Lang, H.R., and McGugan, A. Cretaceous (Albian–Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta, 316

Lapcevic, P.A. see Fritz, P., 195

Lapointe, P. see Harding, K.L., 1141

Larsen, O. see Dawes, P.R., 1365

Larue, D.K. see Ueng, W.C., 528

Latham, A.G. see Harding, K.L., 1141

Lawson, D.E. see O'Shea, K.J., 182

Lawson, D.E. see Fritz, P., 195

Leckie, D. see Stelck, C.R., 793

Lemmen, D.S., Gilbert, R., Smol, J.P., and Hall, R.I. Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island, 810

Lenz, A.C. Upper Silurian and Lower Devonian graptolites and graptolite biostratigraphy, northern Yukon, Canada, 355

Lenz, A.C. Upper Llandovery and Wenlock graptolites from Prairie Creek, southern Mackenzie Mountains, Northwest Territories, 1955

Lerbekmo, J.F. see Baadsgaard, H., 1088

Lespérance, P.J., and Sheehan, P.M. Faunal assemblages of the Upper Gaspé Limestones, Early Devonian of eastern Gaspé, Quebec, 1432

Lewis, C.F.M. see Todd, B.J., 1374

Linden, R.H., and Schurer, P.J. Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia, 1800

Luckman, B.H. 8000 year old wood from the Athabasca Glacier, Alberta, 148

Ludden, J. see Paradis, S., 134

Ludden, J. see Bédard, J.H.J., 2041

Mackay, J.R. Pingo collapse and paleoclimatic reconstruction, 495

Mahaney, W.C., and Stalker, A. MacS. Stratigraphy of the North Cliff section, Wellsch Valley site, Saskatchewan, 206

Mahnic, P. see Teller, J.T., 1660

Maidens, J.M., and Paulson, K.V. A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan, 60

Mallinson, T.J. see Papezik, V.S., 74

Malo, M. Stratigraphy of the Aroostook–Percé Anticlinorium in the Gaspé Peninsula, Quebec, 893

Malo, M. see Riva, J., 1618

Marcoux, E. see Schrijver, K., 1777

Marquis, G., and Globerman, B.R. Northward motion of the Whitehorse Trough: paleomagnetic evidence from the Upper Cretaceous Carmacks Group, 2005

Mathews, W.H. see Rouse, G.E., 1268

Mathews, W.M. Neogene geology of the Okanagan Highland, British Columbia, 725

Matsushita, P.N., and McCann, S.B. Large bedforms and associated hydraulic conditions within microtidal-inlet channels, southern Gulf of St. Lawrence, Canada, 916

Mayol, S. see Bernardin, C., 2104

Mayrand, L.J., and Milkereit, B. Automated editing and true-amplitude stacking of seismic data, 1811

McCann, S.B. see Matsushita, P.N., 916

McCutcheon, S.R. see McGregor, D.C., 1349

McDonough, M.R., and Simony, P.S. Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia, 1687

McDougall, I. see Baadsgaard, H., 1088

McDougall, I. see Yanagi, T., 1123

McGregor, D.C., and McCutcheon, S.R. Implications of spore evidence for Late Devonian age of the Piskahegan Group, southwestern New Brunswick, 1349

McGugan, A. see Lang, H.R., 316

Medioli, F.S. see Scott, D.B., 350

Melling, D.R., Blackburn, C.E., Watkinson, D.H., and Parker, J.R. Geological setting of gold, western Wabigoon Subprovince, Canadian Shield: exploration targets in mixed volcanic successions, 2075

Mengel, F.C. see Rivers, T., 1629

Michel, F.A. see Burn, C.R., 909

Middleton, T.A. see Shaw, D.M., 1485

Miles, M. see Fritz, P., 195

Miles, M.C. see O'Shea, K.J., 182

Milkereit, B. see Mayrand, L.J., 1811

Miller, H.G. Geophysical interpretation of the geology of the northeast Gander Terrane, Newfoundland, 1161

Milliman, J.D. see Solheim, A., 547

Milstein, R.L. The Calvin 28 structure: evidence for impact origin, 1524

Moffat, I.W., Bustin, R.M., and Rouse, G.E. Biochronology of selected Bowser Basin strata; tectonic significance, 1571

Morris, W.A. see Harding, K.L., 1141

Morton, R.L. see Groves, D.A., 280

Mossman, D.J. see Jones, L.M., 942

Mothersill, J.S. Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior, 1791

Mudford, B.S. A quantitative analysis of lithospheric subsidence due to thinning by simple shear, 20

Muller, J. see Bernardin, C., 2104

Murphy, J.B. Late Precambrian to Late Devonian mafic magmatism in the Antigonish Highlands of Nova Scotia: multistage melting of a hydrated mantle, 473

Myers, R.A., and Piper, D.J.W. Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea: a history of bottom circulation and glaciation, 2059

Nadeau, O.C. see Amos, C.L., 1923

Naldrett, D.L. Seal (*Phoca* sp.) from Champlain Sea deposits near Ottawa, Canada, 787

Narod, B.B., Clarke, G.K.C., and Prager, B.T. Airborne UHF radar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada, 95

Nicholls, E.L. The first record of the mosasaur *Hainosaurus* (Reptilia: Lacertilia) from North America, 1564

Nielsen, E. Lacustrine ostracodes in the Late Pleistocene Sunnybrook diamicton of southern Ontario, Canada: Discussion, 1717

Nielsen, E., Churcher, C.S., and Lammers, G.E. A woolly

mammoth (Proboscidea, *Mammuthus primigenius*) molar from the Hudson Bay Lowland of Manitoba, 933

Nisbet, E.G. see Wilks, M.E., 370

Nixon, G.T. see Russell, J.K., 486

O'Brien, S.J. see Krogh, T.E., 442

O'Brien, S.J. see Stockmal, G.S., 1917

Odom, A.L. see Cormier, R.F., 255

Osadetz, K.G. see Embry, A.F., 1209

Osadetz, K.G. see Wynne, P.J., 1220

O'Shea, K.J., Miles, M.C., Fritz, P., Frape, S.K., and Lawson, D.E. Oxygen-18 and carbon-13 in the carbonates of the Salina formation of southwestern Ontario, 182

O'Shea, K.J. see Fritz, P., 195

Over, D.J. Lingulid brachiopods and *Lingulichnus* from a Silurian shelf–slope carbonate sequence, Delorme Group, Mackenzie Mountains, Northwest Territories, 465

Owen, J.V. Geochemical changes accompanying the mylonitization of diverse rock types from the Grenville Front zone, eastern Labrador, 1472

Owen, J.V., Greenough, J.D., Hy, C., and Ruffman, A. Xenoliths in a mafic dyke at Popes Harbour, Nova Scotia: implications for the basement to the Meguma Group, 1464

Papezik, V.S., Greenough, J.D., Colwell, J.A., and Mallinson, T.J. North Mountain basalt from Digby, Nova Scotia: models for a fissure eruption from stratigraphy and petrochemistry, 74

Papezik, V.S. see Krogh, T.E., 442

Paradis, S., Ludden, J., and Gélinas, L. Evidence for contrasting compositional spectra in comagmatic intrusive and extrusive rocks of the late Archean Blake River Group, Abitibi, Quebec, 134

Parker, J.R. A faster method for erosion and dilation of reservoir pore-complex images, 1128

Parker, J.R. see Melling, D.R., 2075

Pascoe, L.J., Hron, F., and Daley, P.F. The Alekseev–Mikhailenko method applied to $P - S_V$ wave propagation in an elastic medium, 226

Paulson, K.V. see Maidens, J.M., 60

Pearce, T.H. see Russell, J.K., 486

Pemberton, S.G., Frey, R.W., and Bromley, R.G. The ichnotaxonomy of *Conostichus* and other plug-shaped ichnofossils, 866

Piasecki, M.A.J. Strain-induced mineral growth in ductile shear zones and a preliminary study of ductile shearing in western Newfoundland, 2118

Pickerill, R.K. see Tanoli, S.K., 669

Pidgeon, R.T. see Kalsbeek, F., 773

Pintson, H. see Kumarapeli, S., 1824

Pip, E. Differential attrition of molluscan shells in freshwater sediments, 68

Piper, D.J.W. see Bonifay, D., 853

Piper, D.J.W. see Myers, R.A., 2059

Piroshco, D.W., and Hodgson, C.J. Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario, 2028

Pollard, W.H. see Harry, D.G., 1846

Powers, L.J., and Stauffer, M.R. Multigeneration pitchblende from the Midwest uranium–nickel deposit, northern Saskatchewan, 1945

Prager, B.T. see Narod, B.B., 95

Pratt, B.R. An Ibexian (Early Ordovician) trilobite faunule from the type section of the Rabbitkettle Formation (southern MacKenzie Mountains, Northwest Territories), 1595

Price, J.S., and Woo, M.-k. Origin of salt in coastal marshes of Hudson and James bays, 145

Quinlan, G.M. see Stockmal, G.S., 1917

Rainbird, R.H., and Donaldson, J.A. Nonglaciogenic deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario, 710

Rains, B., and Welch, J. Out-of-phase Holocene terraces in part of the North Saskatchewan River basin, Alberta, 454

Ramananantoandro, R. Seismic evidence for mantle flow beneath the Massif Central rift zone (France), 2139

Reanier, R.E. see Anderson, P.M., 84

Reasoner, M.A., and Rutter, N.W. Late Quaternary history of the Lake O'Hara region, British Columbia—an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records, 1037

Reid, I. Crustal structure beneath the southern Grand Banks: seismic-refraction results and their implications, 760

Reid, I. see Todd, B.J., 744

Riva, J., and Malo, M. Age and correlation of the Honorat Group, southern Gaspé Peninsula, 1618

Rivers, T., and Mengel, F.C. Contrasting assemblages and petrogenetic evolution of corona and noncorona gabbros in the Grenville Province of western Labrador, 1629

Roberts, J.W. see Taylor, S.B., 1020

Roberts, M.C. see Clague, J.J., 938

Robin, C. see Boudal, C., 955

Rogers, G.C. An assessment of the megathrust earthquake potential of the Cascadia subduction zone, 844

Rogers, J.S. see Rouleau, P., 1649

Rouleau, P., Rogers, J.S., et Jones, F.W. La marée d'inclinaison à Leduc (Alberta), Canada : observation, analyse et interprétation, 1649

Rouse, G.E., and Mathews, W.H. Palynology and geochronology of Eocene beds from Cheslatta Falls and Nazko areas, central British Columbia, 1268

Rouse, G.E. see Moffat, I.W., 1571

Ruffman, A. see Owen, J.V., 1464

Russell, D.A. see Currie, P.J., 972

Russell, J.K., Nixon, G.T., and Pearce, T.H. Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, southeast Oregon, 486

Rutter, N.W. see Reasoner, M.A., 1037

Ryall, P.J.C. see Todd, B.J., 1374

Ryan, B. see Schärer, U., 1098

Sarvas, P. see Borradaile, G., 1069

Sauer, E.K. see Christiansen, E.A., 1703

Sauer, E.K. see Christiansen, E.A., 2130

Saunders, I.R. see Clague, J.J., 938

Schärer, U., Krogh, T.E., Wardle, R.J., Ryan, B., and Gandhi, S.S. U–Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador, 1098

Schledewitz, D.C.P. see Clark, G.S., 246

Schrijver, K., Marcoux, E., Beaudoin, G., and Calvez, J.Y. Pb–Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration—Paleozoic sedimentary rocks, northern Appalachians, Quebec, 1777

Schultz-Ela, D. see Hudleston, P.J., 1060

Schurer, P.J. see Linden, R.H., 1800

Schwarcz, H.P. see Zymela, S., 235

Scott, D.B., and Medioli, F.S. Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces: Reply, 350

Seppälä, M. Former southwesterly ice flows in the Abitibi–Timiskaming region: implications for the configuration of the Late Wisconsinan ice sheet: Discussion, 352

Seppälä, M. Rock pingos in northern Ungava Peninsula, Quebec, Canada, 629

Serri, G., Hébert, R., and Hekinian, R. Petrology of a plagioclase-bearing olivine websterite from the Gorringe Bank (northeastern Atlantic Ocean), 557

Sevigny, J.H. Geochemistry of Late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera, 1323

Sharpe, D.R. Late Glacial landforms of Wollaston Peninsula, Victoria Island, Northwest Territories: product of ice-marginal retreat, surge, and mass stagnation, 262

Shaver, S.A. Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada, 1000

Shaw, D.M., Truscott, M.G., Gray, E.A., and Middleton, T.A. Boron and lithium in high-grade rocks and minerals from the Wawa–Kapuskasing region, Ontario, 1485

Shaw, E.G. see Halls, H.C., 732

Shaw, J. Subglacial erosional marks, Wilton Creek, Ontario, 1256

Sheehan, P.M. see Lespérance, P.J., 1432

Sichingabula, H.M. see Hickin, E.J., 1078

Simony, P.S. see McDonough, M.R., 1687

Smith, C.B., Colgan, E.A., Hawthorne, J.B., and Hutchinson, G. Emplacement age of the Cross kimberlite, southeastern British Columbia, by the Rb–Sr phlogopite method, 790

Smith, D.G. see Vanderburgh, S., 1990

Smith, D.S. see Jones, B., 1277

Smith, M. Deformational geometry and tectonic significance of a portion of the Chilliwack Group, northwestern Cascades, Washington, 433

Smith, P.L., Tipper, H.W., Taylor, D.G., and Guex, J. An ammonite zonation for the Lower Jurassic of Canada and the United States: the Pliensbachian, 1503

Smol, J.P. see Lemmen, D.S., 810

Sobczak, L.W. LITHOPROBE—southern Vancouver Island: Cenozoic subduction complex imaged by deep seismic reflections: Discussion, 163

Soja, C.M. Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane, 639

Solheim, A., Milliman, J.D., and Elverhøi, A. Sediment distribution and sea-floor morphology of Storbanken: implications for the glacial history of the northern Barents Sea, 547

Southwick, D.L. see Hudleston, P.J., 1060

Spencer, C.J. see Clowes, R.M., 164

Spray, J.G. Retrograde eclogite from Mont Albert, Gaspé, Quebec: Discussion, 1542

Spray, J.G. Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, northeast Scotland, 1760

Stalker, A. MacS. see Mahaney, W.C., 206

Stauffer, M.R. see Powers, L.J., 1945

Stea, R.R. Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces: Discussion, 348

Stelck, C.R., and Leckie, D. Foraminiferal inventory and lithologic description of the Lower Cretaceous (Albian) Hulcross Shale, Monkman area, northeastern British Columbia, 793

Stelck, C.R. see Yanagi, T., 1123

Stewart, R. see Borradaile, G., 1069

Stockmal, G.S., Colman-Sadd, S.P., Keen, C.E., O'Brien, S.J., and Quinlan, G.M. Collision along an irregular margin: a regional plate tectonic interpretation of the Canadian Appalachians: Reply, 1917

Strangway, D.W. see Arkani-Hamed, J., 801

Straw, A. A pre-Paris ice-sheet limit near Guelph, southern Ontario, 1871

Strong, D.F. see Krogh, T.E., 442

Strong, D.F. see Kontak, D.J., 1151

Struik, L.C. Regional imbrication within Quesnel Terrane, central British Columbia, as suggested by conodont ages, 1608

St. Seymour, K., and Francis, D. Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec, 691

St. Seymour, K. see Kumarapeli, S., 1824

Stubley, M. see Borradaile, G., 1069

Sutherland, R.A., and Bryan, R.B. Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada, 167

Sutherland Brown, A. see Clowes, R.M., 164

Swinden, H.S., Lane, T.E., and Thorpe, R.I. Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland: evidence for diverse lead sources, 593

Tanoli, S.K., and Pickerill, R.K. Lithostratigraphy of the Cambrian – Lower Ordovician Saint John Group, southern New Brunswick, 669

Tayebi, M. see Bernardin, C., 2104

Taylor, D.G. see Smith, P.L., 1503

Taylor, P.N. see Kalsbeek, F., 773

Taylor, S.B., Johnson, S.Y., Fraser, G.T., and Roberts, J.W. Sedimentation and tectonics of the lower and middle Eocene Swauk Formation in eastern Swauk Basin, central Cascades, central Washington, 1020

Teller, J.T., and Mahnic, P. History of sedimentation in the northwestern Lake Superior basin and its relation to Lake Agassiz overflow, 1660

Thomson, S. see Tsui, P.C., 1420

Thorpe, R.I. see Swinden, H.S., 593

Thouveny, N. High-resolution palaeomagnetic study of Late Pleistocene sediments from Baffin Bay: first results, 833

Threlkeld, W.E. see Beaty, D.W., 392

Tipper, H.W. see Smith, P.L., 1503

Todd, B.J., Lewis, C.F.M., and Ryall, P.J.C. Comparison of trends of iceberg scour marks with iceberg trajectories and evidence of paleocurrent trends on Saglek Bank, northern Labrador Shelf, 1374

Todd, B.J., Reid, I., and Keen, C.E. Crustal structure across the Southwest Newfoundland Transform Margin, 744

Tourigny, G., Hubert, C., Brown, A.C., and Crépeau, R. Structural geology of the Blake River Group at the Bousquet mine, Abitibi, Quebec, 581

Truscott, M.G. see Shaw, D.M., 1485

Trzcienski, W.E., Jr. Retrograde ecologite from Mont Albert, Gaspé, Quebec, 30

Tsui, P.C., Cruden, D.M., and Thomson, S. Mesofabric, microfabric, and submicrofabric of ice-thrust bedrock, Highvale mine, Wabamun Lake area, Alberta, 1420

Tuach, J. see Kontak, D.J., 1151

Ueng, W.C., Fox, T.P., Larue, D.K., and Wilband, J.T. Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region, 528

Vanderburgh, S., and Smith, D.G. Slave River delta: geomorphology, sedimentology, and Holocene reconstruction, 1990

van der Heyden, P. see Höy, T., 106

van Staal, C.R., and Williams, P.F. Collision along an irregular margin: a regional plate tectonic interpretation of the Canadian Appalachians: Discussion, 1912

Veillette, J.J. Former southwesterly ice flows in the Abitibi–Timiskaming region: implications for the configuration of the Late Wisconsinan ice sheet: Reply, 353

Vilks, G., and Deonarine, B. Labrador shelf benthic Foraminifera and stable oxygen isotopes of *Cibicides lobatulus* related to the Labrador Current, 1240

Vilks, G. see Aksu, A.E., 701

Waddington, E.D., and Clarke, G.K.C. Stable-isotope pattern predicted in surge-type glaciers, 657

Wahl, W.G. Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario: Discussion, 799

Wardle, R.J. see Schärer, U., 1098

Watkinson, D.H. see Melling, D.R., 2075

Welch, J. see Rains, B., 454

Welhan, J.A. Methane and hydrogen in mid-ocean-ridge basalt glasses: analysis by vacuum crushing 38

Westgate, J.A., and Delorme, L.D. Lacustrine ostracodes in the Late Pleistocene Sunnybrook diamicton of southern Ontario, Canada: Reply, 1721

Whittaker, S.G., Kyser, T.K., and Caldwell, W.G.E. Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan, 1554

Wilband, J.T. see Ueng, W.C., 528

Wilks, M.E., and Nisbet, E.G. Stratigraphy of the Steep Rock Group, northwest Ontario: a major Archaean unconformity and Archaean stromatolites, 370

Williams, P.F. see van Staal, C.R., 1912

Wilson, J.T. Convection tectonics: some possible effects upon the Earth's surface of flow from the deep mantle, 1199

Woo, M.-k., and diCenzo, P. Pipe flow in James Bay coastal wetlands, 625

Woo, M.-k. see Price, J.S., 145

Wynne, P.J., Irving, E., and Osadetz, K.G. Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin—magneto-stratigraphy, paleolatitudes, and rotations, 1220

Yanagi, T., Baadsgaard, H., Stelck, C.R., and McDougall, I. Radiometric dating of a tuff bed in the middle Albian Hulcross Formation at Hudson's Hope, British Columbia, 1123

Yochelson, E.L. see Fritz, W.H., 403

Yorath, C.J. see Clowes, R.M., 164

Zymela, S., Schwarcz, H.P., and Grün, R. ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan, 235

CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 25, 1988

Subject Index / Index des matières[1]

absolute age *see also* geochronology; isotopes
absolute age—dates
alluvium: Out-of-phase Holocene terraces in part of the North Saskatchewan River basin, Alberta
(Rains, Bruce, *et al.*) 3: 454-464
basalts: Brunhes-Matuyama paleomagnetism in three lava sections in Iceland
(Kristjansson, L., *et al.*) 2: 215-225
— Neogene geology of the Okanagan Highland, British Columbia
(Mathews, W. M.) 5: 725-731
— Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada
(Hodych, J. P., *et al.*) 12: 1972-1989
bentonite: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
granite: Plutonic and hydrothermal events in the Ackley Granite, Southeast Newfoundland, as indicated by total-fusion $^{40}Ar/^{39}Ar$ geochronology
(Kontak, D. J., *et al.*) 8: 1151-1160
lake sediments: Late Quaternary history of the Lake O'Hara region, British Columbia; an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records
(Reasoner, Mel A., *et al.*) 7: 1037-1048
— Late Quaternary vegetational history of the Black River region in northeastern Alaska
(Anderson, Patricia M., *et al.*) 1: 84-94
lead-zinc deposits: Significance of a Cambrian date from galena lead-isotope data for the stratiform Cottonbelt Deposit in the Monashee Complex, southeastern British Columbia
(Hoy, T., *et al.*) 9: 1534-1541
marine sediments: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results
(Thouveny, N.) 6: 833-843
— Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
— Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810
metamorphic rocks: Archean and Proterozoic crust in North-West Greenland; evidence from Rb-Sr whole-rock age determinations
(Dawes, Peter R., *et al.*) 9: 1365-1373
— Geochronology of the Belmont Lake Metavolcanic Complex and implications for crustal development in the Central Metasedimentary Belt, Grenville Province, Ontario
(Davis, D. W., *et al.*) 11: 1751-1759
— Geology of part of a long-lived dynamic plate margin; the coastal cordillera of north-central Chile, latitude 30°51'-31°S
(Irwin, James J., *et al.*) 4: 603-624
— Rubidium-strontium ages of Archean and Proterozoic rocks in the Nejanilini and Great Island domains, Churchill Province, northern Manitoba, Canada
(Clark, G. S., *et al.*) 2: 246-254
— Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776
metavolcanic rocks: New isotopic data and a preliminary age for volcanics near the base of the Windermere Supergroup, northeastern Washington, U.S.A.
(Devlin, William J., *et al.*) 11: 1906-1911
orthogneiss: Origin and U-Pb geochronology of amphibolite-facies metamorphic rocks, Miramichi Highlands, New Brunswick
(Fyffe, Les, *et al.*) 10: 1674-1686
phlogopite: Emplacement age of the Cross Kimberlite, southeastern British Columbia, by the Rb-Sr phlogopite method
(Smith, C. B., *et al.*) 5: 790-792
quartz monzonite: Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia
(Hoy, Trygve, *et al.*) 1: 106-115
sediments: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
shells: Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198
tuff: Radiometric dating of a tuff bed in the middle Albian Hulcross Formation at Hudson's Hope, British Columbia
(Yanagi, T., *et al.*) 7: 1123-1127
volcanic rocks: Palynology and geochronology of Eocene beds from Chieslatta Falls and Nazko areas, central British Columbia
(Rouse, G. E., *et al.*) 8: 1268-1276
wood: Age of the Frenchman Valley and associated drift south of the Cypress Hills, Saskatchewan, Canada
(Christiansen, E. A., *et al.*) 10: 1703-1708
— Ice-free conditions in southwestern British Columbia at 16 000 years BP
(Clague, John J., *et al.*) 6: 938-941
— Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*) 12: 1990-2004
— 8000 year old wood from the Athabasca Glacier, Alberta
(Luckman, B. H.) 1: 148-151
zircon: Precise U-Pb zircon dates from the Avalon Terrane in Newfoundland
(Krogh, T. E., *et al.*) 3: 442-453
— U-Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador
(Scharer, U., *et al.*) 7: 1098-1107
— U-Pb and Rb-Sr geochronology of the Wedgeport granitoid pluton, southwestern Nova Scotia
(Cormier, R. F., *et al.*) 2: 255-261
— Unreworked Archaean basement and Proterozoic supracrustal rocks from northeastern Disko Bugt, West Greenland; implications for the nature of Proterozoic mobile belts in Greenland
(Kalsbeek, F., *et al.*) 5: 773-782
acoustical surveys *see under* geophysical surveys *under* Arctic Ocean; Atlantic Ocean
aeromagnetic surveys *see* magnetic surveys *under* geophysical surveys *under* British Columbia
Africa *see also* Morocco
Alaska—oceanography
continental margin: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133
sedimentation: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133
Alaska—stratigraphy
Cretaceous: Palynology of Maastrichtian and Paleocene rocks, lower Colville River region, North Slope of Alaska
(Frederiksen, N. O., *et al.*) 4: 512-527
Devonian: Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane
(Soja, Constance M.) 5: 639-656

[1]Prepared from the GeoRef data base at the American Geological Institute, 4220 King Street, Alexandria, VA 22302, U.S.A.

Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523
Paleocene: Palynology of Maastrichtian and Paleocene rocks, lower Colville River region, North Slope of Alaska
(Frederiksen, N. O., *et al.*) 4: 512-527
Quaternary: Late Quaternary vegetational history of the Black River region in northeastern Alaska
(Anderson, Patricia M., *et al.*) 1: 84-94

Alberta—engineering geology
slope stability: Mesofabric, microfabric, and submicrofabric of ice-thrust bedrock, Highvale Mine, Wabamun Lake area, Alberta
(Tsui, Po C., *et al.*) 9: 1420-1431

Alberta—geochemistry
trace elements: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337

Alberta—geochronology
Cretaceous: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Holocene: Out-of-phase Holocene terraces in part of the North Saskatchewan River basin, Alberta
(Rains, Bruce, *et al.*) 3: 454-464
— 8000 year old wood from the Athabasca Glacier, Alberta
(Luckman, B. H.) 1: 148-151
Paleocene: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Pleistocene: ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan
(Zymela, Steve, *et al.*) 2: 235-245
Tertiary: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097

Alberta—hydrogeology
hydrology: Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada
(Sutherland, Ross A., *et al.*) 2: 167-181
— Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada [discussion]
(Brookes, Ian A.) 8: 1338
— Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin
(Ashmore, P. E., *et al.*) 9: 1450-1463

Alberta—paleontology
Reptilia: Osteology and relationships of Chirostenotes pergracilis (Saurischia, Theropoda) from the Judith River (Oldman) Formation of Alberta, Canada
(Currie, Philip J., *et al.*) 7: 972-986
— The smallest ceratopsid skull; Judith River Formation of Alberta
(Dodson, Peter, *et al.*) 6: 926-930

Alberta—stratigraphy
Cretaceous: Cretaceous (Albian-Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta
(Lang, Harold R., *et al.*) 2: 316-342
— Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event
(Grieve, R. A. F., *et al.*) 9: 1530-1534
Paleocene: Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event
(Grieve, R. A. F., *et al.*) 9: 1530-1534
Tertiary: Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event
(Grieve, R. A. F., *et al.*) 9: 1530-1534

Alberta—tectonophysics
crust: Tilt tides at Leduc, Alberta, Canada; observation, analysis and interpretation
(Rouleau, Pierre, *et al.*) 10: 1649-1659

algal flora—diatom flora
Holocene: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*) 6: 810-823
— Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183

algal flora—stromatolites
Archean: Stratigraphy of the Steep Rock Group, Northwest Ontario; a major Archaean unconformity and Archaean stromatolites
(Wilks, M. E., *et al.*) 3: 370-391

alkali basalts *see under* igneous rocks

Alps *see also* the individual countries

amino acids *see under* organic materials

ammonites *see* Mollusca

ammonoids *see under* mollusks

Andes *see also* the individual countries

Andes—tectonophysics
plate tectonics: Geology of part of a long-lived dynamic plate margin; the coastal cordillera of north-central Chile, latitude 30°51′-31°S
(Irwin, James J., *et al.*) 4: 603-624

Appalachians *see also* the individual states and provinces

Appalachians—economic geology
lead-zinc deposits: Pb-Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration; Paleozoic sedimentary rocks, Northern Appalachians, Quebec
(Schrijver, K., *et al.*) 11: 1777-1790

Appalachians—tectonophysics
plate tectonics: Collision along an irregular margin; a regional plate tectonic interpretation of the Canadian Appalachians [discussion and reply]
(van Staal, Cees R., *et al.*) 11: 1912-1922

Archean *see also under* geochronology *under* Greenland; *see also under* stratigraphy *under* Canadian Shield; Great Lakes region; Ontario

Arctic Ocean—geochemistry
isotopes: Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments
(Aksu, Ali E., *et al.*) 5: 701-709

Arctic Ocean—geochronology
Pleistocene: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results
(Thouveny, N.) 6: 833-843

Arctic Ocean—geophysical surveys
acoustical surveys: Sediment distribution and sea-floor morphology of Storbanken; implications for the glacial history of the northern Barents Sea
(Solheim, Anders, *et al.*) 4: 547-556

Arctic Ocean—oceanography
ocean floors: Sediment distribution and sea-floor morphology of Storbanken; implications for the glacial history of the northern Barents Sea
(Solheim, Anders, *et al.*) 4: 547-556

Arctic region *see also* the individual countries; Greenland; Spitsbergen

Arctic region—tectonophysics
plate tectonics: Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations
(Wynne, P. J., *et al.*) 8: 1220-1239
— Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago
(Embry, Ashton F., *et al.*) 8: 1209-1219

Atlantic Ocean—geophysical surveys
acoustical surveys: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
seismic surveys: Comparison of trends of iceberg scour marks with iceberg trajectories and evidence of paleocurrent trends on Saglek Bank, northern Labrador Shelf
(Todd, B. J., *et al.*) 9: 1374-1383
— Crustal structure across the Southwest Newfoundland transform margin
(Todd, B. J., *et al.*) 5: 744-759
— Crustal structure beneath the southern Grand Banks; seismic-refraction results and their implications
(Reid, I.) 5: 760-772
— Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea; a history of bottom circulation and glaciation
(Myers, Robert A., *et al.*) 12: 2059-2074

Atlantic Ocean—oceanography
ocean circulation: Comparison of trends of iceberg scour marks with iceberg trajectories and evidence of paleocurrent trends on Saglek Bank, northern Labrador Shelf
(Todd, B. J., *et al.*) 9: 1374-1383

— Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255
— Large bedforms and associated hydraulic conditions within microtidal-inlet channels, southern Gulf of St. Lawrence, Canada
(Matsushita, P. N., *et al.*) 6: 916-922
sedimentation: Late winter-early spring sedimentation off the Great Whale River, southeastern Hudson Bay
(d'Anglejan, B., *et al.*) 6: 930-933
sediments: Surficial sediments of the outer banks, Scotian Shelf, Canada
(Amos, Carl Leonetto, *et al.*) 12: 1923-1944

Atlantic Ocean—petrology
igneous rocks: Petrology of a plagioclase-bearing olivine websterite from the Gorringe Bank (northeastern Atlantic Ocean)
(Serri, Giancarlo, *et al.*) 4: 557-569

Atlantic Ocean—stratigraphy
Holocene: Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply]
(Stea, R. R., *et al.*) 2: 348-351
Pleistocene: Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea; a history of bottom circulation and glaciation
(Myers, Robert A., *et al.*) 12: 2059-2074
Quaternary: Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255

Atlantic Ocean—tectonophysics
crust: Crustal structure across the Southwest Newfoundland transform margin
(Todd, B. J., *et al.*) 5: 744-759
— Crustal structure beneath the southern Grand Banks; seismic-refraction results and their implications
(Reid, I.) 5: 760-772

Atlantic Ocean Islands *see also* Iceland; Shetland Islands

Atlantic region *see also* the individual countries

automatic data processing *see* data processing

Baltic region *see also* the individual countries

barite deposits *see also under* economic geology *under* Ontario

barium—geochemistry
gold ores: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes
(Kerrich, R., *et al.*) 6: 945-953

basalts *see under* igneous rocks

batholiths *see under* intrusions

biogeography—palynomorphs
Ordovician: Provincialism of Ordovician chitinozoans
(Achab, Aicha) 4: 635-638

biogeography—trilobites
Ordovician: An Ibexian (Early Ordovician) trilobite faunule from the type section of the Rabbitkettle Formation (southern Mackenzie Mountains, Northwest Territories)
(Pratt, Brian R.) 10: 1595-1607

boron—geochemistry
migmatites: Boron and lithium in high-grade rocks and minerals from the Wawa-Kapuskasing region, Ontario
(Shaw, D. M., *et al.*) 9: 1485-1502

brachiopods—paleoecology
Devonian: Faunal assemblages of the Upper Gaspe Limestones, Early Devonian of eastern Gaspe, Quebec
(Lesperance, Pierre J., *et al.*) 9: 1432-1449
Silurian: Lingulid brachiopods and Lingulichnus from a Silurian shelf-slope carbonate sequence, Delorme Group, Mackenzie Mountains, Northwest Territories
(Over, D. Jeffrey) 3: 465-471

British Columbia—economic geology
lead-zinc deposits: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402
— Significance of a Cambrian date from galena lead-isotope data for the stratiform Cottonbelt Deposit in the Monashee Complex, southeastern British Columbia
(Hoy, T., *et al.*) 9: 1534-1541
polymetallic ores: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402
silver ores: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402

British Columbia—geochemistry
trace elements: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337
— Geochemistry of the gneissic basement complex near Valemount, British Columbia; further evidence for a varied origin
(Chamberlain, V. E., *et al.*) 11: 1725-1739

British Columbia—geochronology
Cambrian: Significance of a Cambrian date from galena lead-isotope data for the stratiform Cottonbelt Deposit in the Monashee Complex, southeastern British Columbia
(Hoy, T., *et al.*) 9: 1534-1541
Cretaceous: Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia
(Hoy, Trygve, *et al.*) 1: 106-115
— Radiometric dating of a tuff bed in the middle Albian Hulcross Formation at Hudson's Hope, British Columbia
(Yanagi, T., *et al.*) 7: 1123-1127
Eocene: Palynology and geochronology of Eocene beds from Cheslatta Falls and Nazko areas, central British Columbia
(Rouse, G. E., *et al.*) 8: 1268-1276
Neogene: Neogene geology of the Okanagan Highland, British Columbia
(Mathews, W. M.) 5: 725-731
Permian: Emplacement age of the Cross Kimberlite, southeastern British Columbia, by the Rb-Sr phlogopite method
(Smith, C. B., *et al.*) 5: 790-792
Pleistocene: Ice-free conditions in southwestern British Columbia at 16 000 years BP
(Clague, John J., *et al.*) 6: 938-941
Quaternary: Late Quaternary history of the Lake O'Hara region, British Columbia; an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records
(Reasoner, Mel A., *et al.*) 7: 1037-1048
— Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810

British Columbia—geomorphology
fluvial features: The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia
(Hickin, Edward J., *et al.*) 7: 1078-1087

British Columbia—geophysical surveys
magnetic surveys: Interpretation of the aeromagnetic anomalies of southern Vancouver Island
(Arkani-Hamed, J., *et al.*) 6: 801-809
maps: Interpretation of the aeromagnetic anomalies of southern Vancouver Island
(Arkani-Hamed, J., *et al.*) 6: 801-809
seismic surveys: Automated editing and true-amplitude stacking of seismic data
(Mayrand, Louis J., *et al.*) 11: 1811-1823
— Lithoprobe seismic reflection imaging of Rocky Mountain structures east of Canal Flats, British Columbia
(Eaton, David W. S., *et al.*) 9: 1339-1348

British Columbia—oceanography
continental margin: The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*) 11: 1857-1870
continental shelf: Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810
British Columbia—stratigraphy
Cambrian: The initiation of the early Paleozoic Cordilleran miogeocline; evidence from the uppermost Proterozoic–Lower Cambrian Hamill Group of southeastern British Columbia
(Devlin, William J., *et al.*) 1: 1-19
changes of level: Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810
Cretaceous: Biochronology of selected Bowser Basin strata; tectonic significance
(Moffat, I. W., *et al.*) 10: 1571-1578
— Cretaceous remagnetization in the Sylvester Allochthon; limits to post-105 Ma northward displacement of north-central British Columbia
(Butler, R. F., *et al.*) 8: 1316-1322
— Foraminiferal inventory and lithologic description of the Lower Cretaceous (Albian) Hulcross Shale, Monkman area, northeastern British Columbia
(Stelck, C. R., *et al.*) 5: 793-798
— Northward motion of the Whitehorse Trough; paleomagnetic evidence from the Upper Cretaceous Carmacks Group
(Marquis, Guy, *et al.*) 12: 2005-2016
Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523
— Biochronology of selected Bowser Basin strata; tectonic significance
(Moffat, I. W., *et al.*) 10: 1571-1578
— Regional imbrication within Quesnel Terrane, central British Columbia, as suggested by conodont ages
(Struik, L. C.) 10: 1608-1617
Proterozoic: Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence
(Burwash, R. A., *et al.*) 6: 824-832
— Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702
— The initiation of the early Paleozoic Cordilleran miogeocline; evidence from the uppermost Proterozoic–Lower Cambrian Hamill Group of southeastern British Columbia
(Devlin, William J., *et al.*) 1: 1-19
Quaternary: Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, Northeast British Columbia
(Driver, Jonathan C.) 10: 1545-1553
Triassic: Regional imbrication within Quesnel Terrane, central British Columbia, as suggested by conodont ages
(Struik, L. C.) 10: 1608-1617
British Columbia—structural geology
neotectonics: The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*) 11: 1857-1870
tectonics: Biochronology of selected Bowser Basin strata; tectonic significance
(Moffat, I. W., *et al.*) 10: 1571-1578
— Regional imbrication within Quesnel Terrane, central British Columbia, as suggested by conodont ages
(Struik, L. C.) 10: 1608-1617
— Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702
— Tectonic interpretation of west-verging folds in the Selkirk Allochthon of the southern Canadian Cordillera
(Brown, Richard L., *et al.*) 2: 292-300
— The initiation of the early Paleozoic Cordilleran miogeocline; evidence from the uppermost Proterozoic–Lower Cambrian Hamill Group of southeastern British Columbia
(Devlin, William J., *et al.*) 1: 1-19
British Columbia—tectonophysics
crust: Interpretation of the aeromagnetic anomalies of southern Vancouver Island
(Arkani-Hamed, J., *et al.*) 6: 801-809
— Lithoprobe, southern Vancouver Island; Cenozoic subduction complex imaged by deep seismic reflections [discussion and reply]
(Sobczak, L. W., *et al.*) 1: 163-165
— The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*) 11: 1857-1870
burrows *see* ichnofossils
California—stratigraphy
Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523
Cambrian *see also under* geochronology *under* British Columbia; *see also under* stratigraphy *under* British Columbia; Greenland; Morocco; New Brunswick; North America; Scotland; Spitsbergen
Canada *see also* Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes; Great Lakes region; Labrador; Manitoba; Maritime Provinces; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Prince Edward Island; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory
Canada—hydrogeology
hydrology: An energy-budget snowmelt model for the Canadian prairies
(Gray, D. M., *et al.*) 8: 1292-1303
— Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin
(Ashmore, P. E., *et al.*) 9: 1450-1463
Canada—stratigraphy
Pleistocene: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
Canadian Shield—economic geology
gold ores: Geological setting of gold, western Wabigoon Subprovince, Canadian Shield; exploration targets in mixed volcanic successions
(Melling, David R., *et al.*) 12: 2075-2088
— Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes
(Kerrich, R., *et al.*) 6: 945-953
polymetallic ores: Physical volcanology of the footwall rocks near Mattabi massive sulphide deposit, Sturgeon Lake, Ontario
(Groves, D. A., *et al.*) 2: 280-291
silver ores: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes
(Kerrich, R., *et al.*) 6: 945-953
Canadian Shield—geochemistry
trace elements: Boron and lithium in high-grade rocks and minerals from the Wawa-Kapuskasing region, Ontario
(Shaw, D. M., *et al.*) 9: 1485-1502
— Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario
(Barrett, T. J., *et al.*) 4: 570-580
Canadian Shield—geomorphology
glacial geology: Drift carbonate on the Canadian Shield; II, Carbonate dispersal and ice-flow patterns in northern Manitoba
(Dredge, L. A.) 5: 783-787
— Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the late Wisconsinan ice sheet [discussion and reply]
(Seppala, Matti, *et al.*) 2: 352-353
Canadian Shield—petrology
metamorphic rocks: Contrasting assemblages and petrogenetic evolution of corona and noncorona gabbros in the Grenville Province of western Labrador
(Rivers, T., *et al.*) 10: 1629-1648
Canadian Shield—sedimentary petrology
sedimentation: Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800

Canadian Shield—stratigraphy
Archean: Stratigraphy of the Steep Rock Group, Northwest Ontario; a major Archaean unconformity and Archaean stromatolites
(Wilks, M. E., *et al.*) 3: 370-391
Canadian Shield—structural geology
structural analysis: Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec
(Tourigny, Ghislain, *et al.*) 4: 581-592
— Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077
tectonics: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada
(Hanes, J. A., *et al.*) 11: 1834-1845
— Ductile thrusting at mid-crustal level, southwestern Grenville Province
(Hanmer, Simon) 7: 1049-1059
— Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tilting
(Halls, H. C., *et al.*) 5: 732-743
— Structural patterns and tectonic evolution of supracrustal domains in the Archean Slave Province, Canada
(Fyson, W. K., *et al.*) 2: 301-315
Canadian Shield—tectonophysics
crust: Geochronology of the Belmont Lake Metavolcanic Complex and implications for crustal development in the Central Metasedimentary Belt, Grenville Province, Ontario
(Davis, D. W., *et al.*) 11: 1751-1759
plate tectonics: Structural patterns and tectonic evolution of supracrustal domains in the Archean Slave Province, Canada
(Fyson, W. K., *et al.*) 2: 301-315
carbon—isotopes
C-13/C-12: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563
— Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
— Stable-isotope paleoclimate records for southern Ontario, Canada; comparison of results from marl and wood
(Edwards, T. W. D., *et al.*) 9: 1397-1406
— Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments
(Aksu, Ali E., *et al.*) 5: 701-709
carbonate rocks *see under* sedimentary rocks
Carboniferous *see also under* geochronology *under* Nova Scotia
Caribbean region *see also* the individual countries
Carpathians *see also* the individual countries
Cayman Islands—geomorphology
solution features: Open and filled karst features on the Cayman Islands; implications for the recognition of paleokarst
(Jones, Brian, *et al.*) 8: 1277-1291
changes of level *see also under* stratigraphy *under* British Columbia; Great Lakes; New Brunswick; Nova Scotia; Prince Edward Island
chemical analysis *see also* spectroscopy
chemical analysis—techniques
sample preparation: Methane and hydrogen in mid-ocean-ridge basalt glasses; analysis by vacuum crushing
(Welhan, J. A.) 1: 38-48
Chile—tectonophysics
plate tectonics: Geology of part of a long-lived dynamic plate margin; the coastal cordillera of north-central Chile, latitude 30°51′-31°S
(Irwin, James J., *et al.*) 4: 603-624
clastic rocks *see under* sedimentary rocks
clastic sediments *see under* sediments
clay mineralogy—areal studies
Ontario: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
Saskatchewan: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563
— Stratigraphy of the North Cliff section, Wellsch Valley site, Saskatchewan
(Mahaney, William C., *et al.*) 2: 206-214
cleavage *see under* style *under* foliation
climate, ancient *see* paleoclimatology
Colorado Plateau *see also* the individual states
Columbia Plateau *see also* the individual states
conodonts—biostratigraphy
Mesozoic: Regional imbrication within Quesnel Terrane, central British Columbia, as suggested by conodont ages
(Struik, L. C.) 10: 1608-1617
continental drift *see also* plate tectonics
continental margin *see also under* oceanography *under* Alaska; British Columbia; Newfoundland
continental shelf *see also under* oceanography *under* British Columbia; Labrador; Nova Scotia
continental slope *see also under* oceanography *under* Newfoundland; Nova Scotia
Cretaceous *see also under* geochronology *under* Alberta; British Columbia; Montana; Saskatchewan; *see also under* stratigraphy *under* Alaska; Alberta; British Columbia; Montana; Northwest Territories; Washington; Yukon Territory
crust *see also under* geochemistry *under* Scotland; *see also under* tectonophysics *under* Alberta; Atlantic Ocean; British Columbia; Canadian Shield; Iceland; Newfoundland; Rocky Mountains; Saskatchewan
crust—properties
mechanical properties: A quantitative analysis of lithospheric subsidence due to thinning by simple shear
(Mudford, Brett S.) 1: 20-29
crystal chemistry *see also* crystal growth; minerals
crystal growth *see also* minerals
crystal growth—chain silicates, clinopyroxene
zoning: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres
(Bedard, Jean H. J., *et al.*) 12: 2041-2058
crystal growth—orthosilicates, olivine group
zoning: Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon
(Russell, J. K., *et al.*) 4: 486-494
crystal growth—oxides
pitchblende: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan
(Powers, Laura J., *et al.*) 12: 1945-1954
crystal structure *see also* crystal growth; minerals
data processing—engineering geology
petroleum engineering: A faster method for erosion and dilation of reservoir pore-complex images
(Parker, J. R.) 7: 1128-1131
data processing—geophysical methods
seismic methods: Automated editing and true-amplitude stacking of seismic data
(Mayrand, Louis J., *et al.*) 11: 1811-1823
data processing—geophysical surveys
magnetotelluric surveys: A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan
(Maidens, J. M., *et al.*) 1: 60-67
data processing—hydrogeology
hydrology: An energy-budget snowmelt model for the Canadian prairies
(Gray, D. M., *et al.*) 8: 1292-1303
deformation *see also* structural analysis
deformation—experimental studies
ultrastructure: Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event
(Grieve, R. A. F., *et al.*) 9: 1530-1534
deformation—field studies
shear: Mesofabric, microfabric, and submicrofabric of ice-thrust bedrock, Highvale Mine, Wabamun Lake area, Alberta
(Tsui, Po C., *et al.*) 9: 1420-1431
— Strain-induced mineral growth in ductile shear zones and a preliminary study of ductile shearing in western Newfoundland
(Piasecki, M. A. J.) 12: 2118-2129
strain: Deformational geometry and tectonic significance of a portion of the Chilliwack Group, northwestern Cas-

cades, Washington
(Smith, Moira) 3: 433-441
— Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec
(Tourigny, Ghislain, *et al.*) 4: 581-592
— Tilt tides at Leduc, Alberta, Canada; observation, analysis and interpretation
(Rouleau, Pierre, *et al.*) 10: 1649-1659
transpression: Transpression in an Archean greenstone belt, northern Minnesota
(Hudleston, P. J., *et al.*) 7: 1060-1068
— Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077

deformation—theoretical studies
shear: A quantitative analysis of lithospheric subsidence due to thinning by simple shear
(Mudford, Brett S.) 1: 20-29

deltas *see under* fluvial features *under* geomorphology

deposition of ores *see* mineral deposits, genesis

deuterium *see also* hydrogen; tritium

Devonian *see also under* stratigraphy *under* Alaska; New Brunswick; Quebec; Yukon Territory

diagenesis *see also* sedimentation

diagenesis—indicators
paleokarst: Open and filled karst features on the Cayman Islands; implications for the recognition of paleokarst
(Jones, Brian, *et al.*) 8: 1277-1291

diastrophism *see* orogeny; tectonics

diatom flora *see under* algal flora

diatremes *see under* intrusions

differentiation *see under* magmas

dikes *see under* intrusions

Earth—processes
Earth tides: Tilt tides at Leduc, Alberta, Canada; observation, analysis and interpretation
(Rouleau, Pierre, *et al.*) 10: 1649-1659

Earth tides *see under* processes *under* Earth

earthquakes *see under* seismology; *see also* engineering geology; seismology; *see also under* engineering geology *under* Pacific Coast

Eastern Hemisphere *see also* Arctic Ocean; Atlantic Ocean

Eastern U.S. *see also* New York

ecology—mollusks
fresh-water environment: Differential attrition of molluscan shells in freshwater sediments
(Pip, Eva) 1: 68-73

electron microscopy *see also* chemical analysis; spectroscopy

engineering geology *see also* deformation; geophysical methods; ground water; rock mechanics

engineering geology—data processing
petroleum engineering: A faster method for erosion and dilation of reservoir pore-complex images
(Parker, J. R.) 7: 1128-1131

environmental geology *see also* ecology; engineering geology

Eocene *see also under* geochronology *under* British Columbia; *see also under* stratigraphy *under* Washington

epeirogeny *see also* orogeny; tectonics

erosion *see under* processes *under* geomorphology

eruptive rocks *see* igneous rocks

eskers *see under* glacial features *under* glacial geology

Europe *see also* France; Iceland; Poland; Scotland

evaporites *see also under* chemically precipitated rocks *under* sedimentary rocks

experimental studies *see under* deformation; hydrogeology; permafrost

Far East *see also* the individual countries

faulting *see* faults

faults *see also* folds; tectonics

faults—displacements
strike-slip faults: Collision along an irregular margin; a regional plate tectonic interpretation of the Canadian Appalachians [discussion and reply]
(van Staal, Cees R., *et al.*) 11: 1912-1922
thrust faults: An assessment of the megathrust earthquake potential of the Cascadia subduction zone
(Rogers, Garry C.) 6: 844-852
— Ductile thrusting at mid-crustal level, southwestern Grenville Province
(Hanmer, Simon) 7: 1049-1059
— Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia
(Hoy, Trygve, *et al.*) 1: 106-115
— Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland
(Miller, H. G.) 8: 1161-1174
— Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702
— Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776
transcurrent faults: Cretaceous remagnetization in the Sylvester Allochthon; limits to post-105 Ma northward displacement of north-central British Columbia
(Butler, R. F., *et al.*) 8: 1316-1322
transform faults: Crustal structure across the Southwest Newfoundland transform margin
(Todd, B. J., *et al.*) 5: 744-759
— The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*) 11: 1857-1870

faults—effects
mylonites: Strain-induced mineral growth in ductile shear zones and a preliminary study of ductile shearing in western Newfoundland
(Piasecki, M. A. J.) 12. 2118-2129
shear zones: Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario
(Piroshco, Darwin W., *et al.*) 12: 2028-2040

faults—mechanics
shear: A quantitative analysis of lithospheric subsidence due to thinning by simple shear
(Mudford, Brett S.) 1: 20-29

fluid inclusions *see also* inclusions

fluid inclusions—geologic thermometry
ore-forming fluids: Fluid-inclusion evidence of basinal brines in Archean basement, Thunder Bay Pb-Zn-Ba district, Ontario, Canada
(Haynes, Frederick M.) 11: 1884-1894

fluvial features *see under* geomorphology

folding *see* folds

folds *see also* faults; foliation; tectonics

folds—orientation
nappes: Tectonic interpretation of west-verging folds in the Selkirk Allochthon of the southern Canadian Cordillera
(Brown, Richard L., *et al.*) 2: 292-300

folds—style
isoclinal folds: Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077

folds—systems
anticlinoria: Stratigraphy of the Aroostook-Perce Anticlinorium in the Gaspe Peninsula, Quebec
(Malo, Michel) 6: 893-908

foliation *see also* folds; structural analysis

foliation—style
cleavage: Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077
slip cleavage: A fault-bounded outlier of Archean clastic rocks near Thunder Bay, Ontario
(Kehlenbeck, M. M.) 1: 152-157

foraminifera *see also* foraminifers

foraminifers—biochemistry
isotopes: Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255
— Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments
(Aksu, Ali E., *et al.*) 5: 701-709

foraminifers—biostratigraphy
Cretaceous: Cretaceous (Albian-Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta
(Lang, Harold R., *et al.*) 2: 316-342

— Foraminiferal inventory and lithologic description of the Lower Cretaceous (Albian) Hulcross Shale, Monkman area, northeastern British Columbia (Stelck, C. R., *et al.*) 5: 793-798
Mesozoic: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington (Garver, John) 3: 417-432

foraminifers—paleoecology
Pleistocene: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada (Bonifay, Denis, *et al.*) 6: 853-865

fossils *see* appropriate fossil group

fossils, problematic *see* problematic fossils

foundations *see also* rock mechanics

France—petrology
igneous rocks: Field evidence for successive mixing and mingling between the Piolard Diorite and the Saint-Julien-la-Vetre Monzogranite (Nord-Forez, Massif Central, France) (Barbarin, Bernard) 1: 49-59

France—tectonophysics
mantle: Seismic evidence for mantle flow beneath the Massif Central rift zone (France) (Ramananantoandro, R.) 12: 2139-2142

frost action *see under* rock mechanics

gas inclusions *see* fluid inclusions

genesis of ore deposits *see* mineral deposits, genesis

geochemistry—properties
thermodynamic properties: Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon (Russell, J. K., *et al.*) 4: 486-494

geochronology *see also* absolute age

geochronology—methods
electron paramagnetic resonance: ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan (Zymela, Steve, *et al.*) 2: 235-245

geochronology—paleomagnetism
correlation: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada (Hodych, J. P., *et al.*) 12: 1972-1989
magnetostratigraphy: Brunhes-Matuyama paleomagnetism in three lava sections in Iceland (Kristjansson, L., *et al.*) 2: 215-225
— Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations (Wynne, P. J., *et al.*) 8: 1220-1239
Pleistocene: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results (Thouveny, N.) 6: 833-843
Quaternary: Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior (Mothersill, John S.) 11: 1791-1799

geochronology—racemization
lake sediments: Late Quaternary history of the Lake O'Hara region, British Columbia; an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records (Reasoner, Mel A., *et al.*) 7: 1037-1048
shells: Glacial geology of the Torngat Mountains, Labrador (Clark, Peter U.) 8: 1184-1198

geochronology—tephrochronology
correlation: Foraminiferal inventory and lithologic description of the Lower Cretaceous (Albian) Hulcross Shale, Monkman area, northeastern British Columbia (Stelck, C. R., *et al.*) 5: 793-798

geologic hazards *see also under* engineering geology *under* Northwest Territories; Pacific Coast

geologic thermometry *see under* fluid inclusions

geologic time *see* absolute age; geochronology

geomorphology *see also* glacial geology

geomorphology—fluvial features
channels: The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia (Hickin, Edward J., *et al.*) 7: 1078-1087
deltas: Slave River data; geomorphology, sedimentology, and Holocene reconstruction (Vanderburgh, Sandy, *et al.*) 12: 1990-2004
terraces: Out-of-phase Holocene terraces in part of the North Saskatchewan River basin, Alberta (Rains, Bruce, *et al.*) 3: 454-464

geomorphology—impact features
interpretation: The Calvin 28 Structure; evidence for impact origin (Milstein, Randall L.) 9: 1524-1530

geomorphology—landform evolution
paleorelief: Neogene geology of the Okanagan Highland, British Columbia (Mathews, W. M.) 5: 725-731

geomorphology—processes
erosion: Pipe flow in James Bay coastal wetlands (Woo, Ming-ko, *et al.*) 4: 625-629
sedimentation: Large bedforms and associated hydraulic conditions within microtidal-inlet channels, southern Gulf of St. Lawrence, Canada (Matsushita, P. N., *et al.*) 6: 916-922
— Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada (Sutherland, Ross A., *et al.*) 2: 167-181
— Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada [discussion] (Brookes, Ian A.) 8: 1338
— Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin (Ashmore, P. E., *et al.*) 9: 1450-1463

geomorphology—shore features
cliffs: The Lake Algonquin shoreline, Kincardine–Port Elgin, Ontario (Karrow, P. F.) 1: 157-162

geomorphology—solution features
karst: Open and filled karst features on the Cayman Islands; implications for the recognition of paleokarst (Jones, Brian, *et al.*) 8: 1277-1291

geophysical methods *see under* data processing

geophysical methods—magnetotelluric methods
interpretation: A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan [discussion] (Jones, Alan G.) 7: 1132-1139

geophysical methods—seismic methods
data processing: Automated editing and true-amplitude stacking of seismic data (Mayrand, Louis J., *et al.*) 11: 1811-1823

geophysical surveys *see under* Arctic Ocean; Atlantic Ocean; British Columbia; data processing; Newfoundland; Northwest Territories; Pacific Ocean; Saskatchewan; *see* acoustical surveys *under* geophysical surveys *under* Arctic Ocean; Atlantic Ocean; *see* gravity surveys *under* geophysical surveys *under* Newfoundland; *see* magnetic surveys *under* geophysical surveys *under* British Columbia; *see* magnetotelluric surveys *under* geophysical surveys *under* data processing; Saskatchewan; *see* seismic surveys *under* geophysical surveys *under* Atlantic Ocean; British Columbia; Pacific Ocean; *see also* geophysical methods

geophysics *see also* deformation; engineering geology

geosynclines *see also* orogeny; tectonics

geosynclines—evolution
Cordilleran Geosyncline: The initiation of the early Paleozoic Cordilleran miogeocline; evidence from the uppermost Proterozoic–Lower Cambrian Hamill Group of southeastern British Columbia (Devlin, William J., *et al.*) 1: 1-19

geotechnics *see* engineering geology

glacial geology *see also* geomorphology

glacial geology—glacial features
depressions: Fire Lake Depression; a glacially eroded feature in southwestern Saskatchewan, Canada (Christiansen, E. A., *et al.*) 12: 2130-2138
erosion features: Subglacial erosional marks, Wilton Creek, Ontario (Shaw, John) 8: 1256-1267
eskers: Sedimentation in an esker system influenced by bedrock topography near Kingston, Ontario (Henderson, Penny J.) 7: 987-999
glacial lakes: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island (Lemmen, Donald S., *et al.*) 6: 810-823
— The Lake Algonquin shoreline, Kincardine–Port Elgin, Ontario (Karrow, P. F.) 1: 157-162

landform description: Late glacial landforms of Wollaston Peninsula, Victoria Island, Northwest Territories; product of ice-marginal retreat, surge, and mass stagnation
(Sharpe, David R.) 2: 262-279
moraines: Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the late Wisconsinan ice sheet [discussion and reply]
(Seppala, Matti, *et al.*) 2: 352-353

glacial geology—glaciation
deposition: Age of the Frenchman Valley and associated drift south of the Cypress Hills, Saskatchewan, Canada
(Christiansen, E. A., *et al.*) 10: 1703-1708
— History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
— Sediment distribution and sea-floor morphology of Storbanken; implications for the glacial history of the northern Barents Sea
(Solheim, Anders, *et al.*) 4: 547-556
— Subaqueous outwash deposits in the Ingraham Ridge, Chazy, New York
(Diemer, John A.) 9: 1384-1396
glacial extent: A pre-Paris ice-sheet limit near Guelph, southern Ontario
(Straw, Allan) 11: 1871-1883
— Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198
— Ice-free conditions in southwestern British Columbia at 16 000 years BP
(Clague, John J., *et al.*) 6: 938-941
— Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
ice movement: Basal-flow conditions at the northeastern margin of the Laurentide ice sheet, Lancaster Sound
(Klassen, R. A., *et al.*) 11: 1740-1750
— Comparison of trends of iceberg scour marks with iceberg trajectories and evidence of paleocurrent trends on Saglek Bank, northern Labrador Shelf
(Todd, B. J., *et al.*) 9: 1374-1383
— Drift carbonate on the Canadian Shield; II, Carbonate dispersal and ice-flow patterns in northern Manitoba
(Dredge, L. A.) 5: 783-787
— Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply]
(Stea, R. R., *et al.*) 2: 348-351

glacial geology—glaciers
Athabasca Glacier: 8000 year old wood from the Athabasca Glacier, Alberta
(Luckman, B. H.) 1: 148-151
glacier surges: Stable-isotope pattern predicted in surge-type glaciers
(Waddington, E. D., *et al.*) 5: 657-668
remote sensing: Airborne UHF radar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada
(Narod, B. Barry, *et al.*) 1: 95-105

glacial geology—periglacial features
fossil ice wedges: Pleistocene epigenetic and sygenetic frost fissures, Belchatow, Poland
(French, H. M., *et al.*) 12: 2017-2027
permafrost: Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada
(Burn, C. R., *et al.*) 6: 909-915
— Massive ground ice and ice-cored terrain near Sabine Point, Yukon coastal plain
(Harry, D. G., *et al.*) 11: 1846-1856
pingos: Pingo collapse and paleoclimatic reconstruction
(Mackay, J. Ross) 4: 495-511
— Rock pingos in northern Ungava Peninsula, Quebec, Canada
(Seppala, Matti) 4: 629-634

glacial lakes *see under* glacial features *under* glacial geology

glaciation *see under* glacial geology

glaciers *see under* glacial geology

global tectonics *see* plate tectonics

gold ores *see also under* economic geology *under* Canadian Shield; Ontario; Quebec

graded bedding *see under* turbidity current structures *under* sedimentary structures

granites *see under* igneous rocks

graptolites—biostratigraphy
Ordovician: Age and correlation of the Honorat Group, southern Gaspe Peninsula
(Riva, John, *et al.*) 10: 1618-1628
Silurian: Upper Llandovery and Wenlock graptolites from Prairie Creek, southern Mackenzie Mountains, Northwest Territories
(Lenz, Alfred C.) 12: 1955-1971
— Upper Silurian and Lower Devonian graptolites and graptolite biostratigraphy, northern Yukon, Canada
(Lenz, Alfred C.) 3: 355-369

Graptolithina *see also* graptolites

gravity surveys *see under* geophysical surveys *under* Newfoundland

Great Basin *see also* the individual states

Great Britain *see also* Scotland

Great Lakes—geochronology
Quaternary: Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior
(Mothersill, John S.) 11: 1791-1799

Great Lakes—stratigraphy
changes of level: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
Holocene: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183

Great Lakes region *see also* the individual states and provinces

Great Lakes region—geochemistry
isotopes: Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
— Stable isotopes in sulphate minerals from the Salina Formation in southwestern Ontario
(Fritz, P., *et al.*) 2: 195-205
trace elements: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546
— Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario
(Barrett, T. J., *et al.*) 4: 570-580

Great Lakes region—sedimentary petrology
sedimentation: Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800

Great Lakes region—stratigraphy
Archean: Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tilting
(Halls, H. C., *et al.*) 5: 732-743
Holocene: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673

Great Plains *see also* the individual states and provinces

Greenland—geochronology
Archean: Archean and Proterozoic crust in North-West Greenland; evidence from Rb-Sr whole-rock age determinations
(Dawes, Peter R., *et al.*) 9: 1365-1373
Precambrian: Unreworked Archaean basement and Proterozoic supracrustal rocks from northeastern Disko Bugt, West Greenland; implications for the nature of Proterozoic mobile belts in Greenland
(Kalsbeek, F., *et al.*) 5: 773-782
Proterozoic: Archean and Proterozoic crust in North-West Greenland; evidence from Rb-Sr whole-rock age determinations
(Dawes, Peter R., *et al.*) 9: 1365-1373

Greenland—stratigraphy
Cambrian: The status of Salterella as a Lower Cambrian index fossil
(Fritz, W. H., *et al.*) 3: 403-416

ground water *see also* hydrogeology; hydrology

ground water—surveys
Manitoba: Uranium in groundwaters of southeastern Manitoba, Canada
(Betcher, R. N., *et al.*) 12: 2089-2103
Ontario: Pipe flow in James Bay coastal wetlands
(Woo, Ming-ko, *et al.*) 4: 625-629

Gulf Coastal Plain *see also* the individual states and countries

Himalayas *see also* the individual countries

Holocene *see also under* geochronology *under* Alberta; Northwest Territories; *see also under* stratigraphy *under* Atlantic Ocean; Great Lakes; Great Lakes region; Ontario

hydrocarbons *see under* organic materials

hydrogen *see also* tritium

hydrogen—analysis
chemical analysis: Methane and hydrogen in mid-ocean-ridge basalt glasses; analysis by vacuum crushing
(Welhan, J. A.) 1: 38-48

hydrogeology *see also* ground water; hydrology

hydrogeology—data processing
hydrology: An energy-budget snowmelt model for the Canadian prairies
(Gray, D. M., *et al.*) 8: 1292-1303

hydrogeology—experimental studies
soils: Rates of infiltration into frozen and unfrozen fine sand
(Engelmark, Helen) 2: 343-347

hydrology *see also* ground water; hydrogeology

hydrology—surveys
Alberta: Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada
(Sutherland, Ross A., *et al.*) 2: 167-181
— Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada [discussion]
(Brookes, Ian A.) 8: 1338
Canada: An energy-budget snowmelt model for the Canadian prairies
(Gray, D. M., *et al.*) 8: 1292-1303
Northwest Territories: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*) 6: 810-823
Ontario: Pipe flow in James Bay coastal wetlands
(Woo, Ming-ko, *et al.*) 4: 625-629
Saskatchewan River basin: Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin
(Ashmore, P. E., *et al.*) 9: 1450-1463
Squamish River: The geomorphic impact of the catastrophic October 1984 flood on the planform of Squamish River, southwestern British Columbia
(Hickin, Edward J., *et al.*) 7: 1078-1087
Yukon Territory: Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada
(Burn, C. R., *et al.*) 6: 909-915

hydrothermal alteration *see under* processes *under* metasomatism

hydrothermal processes *see under* lead-zinc deposits *under* mineral deposits, genesis; *see under* polymetallic ores *under* mineral deposits, genesis

ice ages *see* glacial geology

Iceland—geochronology
Pliocene: Brunhes-Matuyama paleomagnetism in three lava sections in Iceland
(Kristjansson, L., *et al.*) 2: 215-225
Quaternary: Brunhes-Matuyama paleomagnetism in three lava sections in Iceland
(Kristjansson, L., *et al.*) 2: 215-225

Iceland—tectonophysics
crust: The Iceland Research Drilling Project crustal section; stable remagnetization below 3 km crustal depth
(Hall, James M., *et al.*) 8: 1304-1315

ichnofossils—paleoecology
Silurian: Lingulid brachiopods and Lingulichnus from a Silurian shelf-slope carbonate sequence, Delorme Group, Mackenzie Mountains, Northwest Territories
(Over, D. Jeffrey) 3: 465-471

ichnofossils—taxonomy
revision: The ichnotaxonomy of Conostichus and other plug-shaped ichnofossils
(Pemberton, S. George, *et al.*) 6: 866-892

igneous rocks *see also* fluid inclusions; inclusions; intrusions; lava; magmas; metamorphic rocks; metasomatism

igneous rocks—alkali basalts
genesis: Late Precambrian to Late Devonian mafic magmatism in the Antigonish Highlands of Nova Scotia; multistage melting of a hydrated mantle
(Murphy, J. Brendan) 4: 473-485
geochemistry: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716

igneous rocks—alkalic composition
petrography: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres
(Bedard, Jean H. J., *et al.*) 12: 2041-2058

igneous rocks—basalts
alkali olivine basalt: Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon
(Russell, J. K., *et al.*) 4: 486-494
genesis: North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry
(Papezik, V. S., *et al.*) 1: 74-83
geochemistry: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546
— Methane and hydrogen in mid-ocean-ridge basalt glasses; analysis by vacuum crushing
(Welhan, J. A.) 1: 38-48
— The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia
(Jones, Lois M., *et al.*) 6: 942-944

igneous rocks—composition
chemical composition: Evidence for contrasting compositional spectra in comagmatic intrusive and extrusive rocks of the late Archean Blake River Group, Abitibi, Quebec
(Paradis, Suzanne, *et al.*) 1: 134-144

igneous rocks—granites
magnetic properties: A comparison of magnetic character and alteration in three granite drill cores from Eastern Canada
(Harding, K. L., *et al.*) 8: 1141-1150
quartz monzonite: Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia
(Hoy, Trygve, *et al.*) 1: 106-115

igneous rocks—petrology
intrusive rocks: Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada
(Shaver, Stephen A.) 7: 1000-1019

igneous rocks—plutonic rocks
distribution: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland
(Miller, H. G.) 8: 1161-1174
genesis: Field evidence for successive mixing and mingling between the Piolard Diorite and the Saint-Julien-la-Vetre Monzogranite (Nord-Forez, Massif Central, France)
(Barbarin, Bernard) 1: 49-59

igneous rocks—ultramafics
geochemistry: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337
kimberlite: Emplacement age of the Cross Kimberlite, southeastern British Columbia, by the Rb-Sr phlogopite method
(Smith, C. B., *et al.*) 5: 790-792
ophiolite: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432
websterite: Petrology of a plagioclase-bearing olivine websterite from the Gorringe Bank (northeastern Atlantic Ocean)
(Serri, Giancarlo, *et al.*) 4: 557-569

igneous rocks—volcanic rocks
composition: Relations between eruption dynamics and deep magmatic replenishment of Popocatepetl
(Boudal, Christian, *et al.*) 7: 955-971
genesis: Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago
(Embry, Ashton F., *et al.*) 8: 1209-1219
paleomagnetism: Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations
(Wynne, P. J., *et al.*) 8: 1220-1239

impact features *see under* geomorphology

incertae sedis *see* problematic fossils

inclusions *see also* fluid inclusions

inclusions—xenoliths

gneisses: Xenoliths in a mafic dyke at Popes Harbour, Nova Scotia; implications for the basement to the Meguma Group (Owen, J. V., *et al.*) 9: 1464-1471

spinel lherzolite: Seismic evidence for mantle flow beneath the Massif Central rift zone (France) (Ramananantoandro, R.) 12: 2139-2142

insects—paleoecology

Pleistocene: Climatic significance of late Pleistocene insect fossils from Marias Pass, Montana (Elias, Scott A.) 6: 922-926

intrusions *see also* igneous rocks; metamorphism; metasomatism

intrusions—batholiths

absolute age: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada (Hanes, J. A., *et al.*) 11: 1834-1845

paleomagnetism: A comparison of magnetic character and alteration in three granite drill cores from Eastern Canada (Harding, K. L., *et al.*) 8: 1141-1150

intrusions—diatremes

emplacement: Emplacement age of the Cross Kimberlite, southeastern British Columbia, by the Rb-Sr phlogopite method (Smith, C. B., *et al.*) 5: 790-792

intrusions—dikes

dike swarms: Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tilting (Halls, H. C., *et al.*) 5: 732-743

emplacement: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada (Hodych, J. P., *et al.*) 12: 1972-1989

petrology: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres (Bedard, Jean H. J., *et al.*) 12: 2041-2058

— Xenoliths in a mafic dyke at Popes Harbour, Nova Scotia; implications for the basement to the Meguma Group (Owen, J. V., *et al.*) 9: 1464-1471

intrusions—emplacement

crystallization: Field evidence for successive mixing and mingling between the Piolard Diorite and the Saint-Julien-la-Vetre Monzogranite (Nord-Forez, Massif Central, France) (Barbarin, Bernard) 1: 49-59

intrusions—plutons

absolute age: U-Pb and Rb-Sr geochronology of the Wedgeport granitoid pluton, southwestern Nova Scotia (Cormier, R. F., *et al.*) 2: 255-261

— Plutonic and hydrothermal events in the Ackley Granite, Southeast Newfoundland, as indicated by total-fusion ^{40}Ar/^{39}Ar geochronology (Kontak, D. J., *et al.*) 8: 1151-1160

composition: Evidence for contrasting compositional spectra in comagmatic intrusive and extrusive rocks of the late Archean Blake River Group, Abitibi, Quebec (Paradis, Suzanne, *et al.*) 1: 134-144

distribution: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland (Miller, H. G.) 8: 1161-1174

— Interpretation of the aeromagnetic anomalies of southern Vancouver Island (Arkani-Hamed, J., *et al.*) 6: 801-809

emplacement: Structural patterns and tectonic evolution of supracrustal domains in the Archean Slave Province, Canada (Fyson, W. K., *et al.*) 2: 301-315

intrusions—sills

emplacement: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region (Ueng, Wen-long C., *et al.*) 4: 528-546

intrusions—stocks

emplacement: Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada (Shaver, Stephen A.) 7: 1000-1019

geochemistry: Geochemistry, geochronology, and tectonic implications of two quartz monzonite intrusions, Purcell Mountains, southeastern British Columbia (Hoy, Trygve, *et al.*) 1: 106-115

Invertebrata *see also* ichnofossils; Mollusca; problematic fossils

invertebrates *see also* brachiopods; conodonts; foraminifers; graptolites; mollusks; ostracods; radiolarians; trilobites

iron formations *see under* chemically precipitated rocks *under* sedimentary rocks; *see under* geochemistry *under* rare earths

isotope dating *see* absolute age

isotopes *see also* absolute age; geochronology

isotopes—carbon

C-13/C-12: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan (Whittaker, S. G., *et al.*) 10: 1554-1563

isotopes—foraminifers

tests: Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments (Aksu, Ali E., *et al.*) 5: 701-709

isotopes—igneous rocks

volcanic rocks: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean (Cousens, Brian L.) 10: 1708-1716

isotopes—lead

Pb-210: Late winter-early spring sedimentation off the Great Whale River, southeastern Hudson Bay (d'Anglejan, B., *et al.*) 6: 930-933

ratios: Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland; evidence for diverse lead sources (Swinden, H. Scott, *et al.*) 4: 593-602

— Pb-Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration; Paleozoic sedimentary rocks, Northern Appalachians, Quebec (Schrijver, K., *et al.*) 11: 1777-1790

isotopes—minerals

sulfates: Stable isotopes in sulphate minerals from the Salina Formation in southwestern Ontario (Fritz, P., *et al.*) 2: 195-205

isotopes—neodymium

Nd-144/Nd-143: Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence (Burwash, R. A., *et al.*) 6: 824-832

isotopes—oxygen

O-18/O-16: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits (Beaty, David W., *et al.*) 3: 392-402

— Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current (Vilks, G., *et al.*) 8: 1240-1255

— Stable-isotope pattern predicted in surge-type glaciers (Waddington, E. D., *et al.*) 5: 657-668

isotopes—sedimentary rocks

carbonate rocks: Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario (O'Shea, K. J., *et al.*) 2: 182-194

isotopes—sediments

lake sediments: Stable-isotope paleoclimate records for southern Ontario, Canada; comparison of results from marl and wood (Edwards, T. W. D., *et al.*) 9: 1397-1406

isotopes—strontium

Sr-87/Sr-86: The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia (Jones, Lois M., *et al.*) 6: 942-944

Jurassic *see also under* geochronology *under* New Brunswick; Newfoundland; Nova Scotia; *see also under* stratigraphy *under* Alaska; British Columbia; California; Nevada; Oregon; Washington

karst *see under* solution features *under* geomorphology

Labrador—geochemistry
trace elements: Geochemical changes accompanying the mylonitization of diverse rock types from the Grenville Front zone, eastern Labrador
(Owen, J. V.) 9: 1472-1484

Labrador—geochronology
Proterozoic: U-Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador
(Scharer, U., *et al.*) 7: 1098-1107

Labrador—geomorphology
weathering: Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198

Labrador—oceanography
continental shelf: Comparison of trends of iceberg scour marks with iceberg trajectories and evidence of paleocurrent trends on Saglek Bank, northern Labrador Shelf
(Todd, B. J., *et al.*) 9: 1374-1383
— Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255

Labrador—petrology
metamorphic rocks: Contrasting assemblages and petrogenetic evolution of corona and noncorona gabbros in the Grenville Province of western Labrador
(Rivers, T., *et al.*) 10: 1629-1648
metamorphism: Proterozoic metamorphism in the Grenville Province; a study in the Double Mer–Lake Melville area, eastern Labrador
(Gower, C. F., *et al.*) 11: 1895-1905

Labrador—stratigraphy
Pleistocene: Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198

landform evolution *see under* geomorphology

lava *see also* igneous rocks; magmas

lava—age
absolute age: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada
(Hodych, J. P., *et al.*) 12: 1972-1989

lava—geochemistry
trace elements: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546
— Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
— Volcanism on the passive margin of Laurentia; an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin
(Kumarapeli, Stephen, *et al.*) 11: 1824-1833

lava—observations
lava flows: Relations between eruption dynamics and deep magmatic replenishment of Popocatepetl
(Boudal, Christian, *et al.*) 7: 955-971

lava—petrology
petrography: Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon
(Russell, J. K., *et al.*) 4: 486-494

lava—properties
magnetic properties: Brunhes-Matuyama paleomagnetism in three lava sections in Iceland
(Kristjansson, L., *et al.*) 2: 215-225
— The Iceland Research Drilling Project crustal section; stable remagnetization below 3 km crustal depth
(Hall, James M., *et al.*) 8: 1304-1315

lead—isotopes
Pb-210: Late winter-early spring sedimentation off the Great Whale River, southeastern Hudson Bay
(d'Anglejan, B., *et al.*) 6: 930-933
ratios: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
— Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland; evidence for diverse lead sources
(Swinden, H. Scott, *et al.*) 4: 593-602
— Pb-Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration; Paleozoic sedimentary rocks, Northern Appalachians, Quebec
(Schrijver, K., *et al.*) 11: 1777-1790

lead-zinc deposits *see also under* economic geology *under* Appalachians; British Columbia; Newfoundland; Ontario; Quebec

lineation *see also* foliation; structural analysis

liquid inclusions *see* fluid inclusions

lithium—geochemistry
migmatites: Boron and lithium in high-grade rocks and minerals from the Wawa-Kapuskasing region, Ontario
(Shaw, D. M., *et al.*) 9: 1485-1502

magmas *see also* igneous rocks; intrusions; lava

magmas—composition
hybridization: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres
(Bedard, Jean H. J., *et al.*) 12: 2041-2058

magmas—differentiation
fractional crystallization: Evidence for contrasting compositional spectra in comagmatic intrusive and extrusive rocks of the late Archean Blake River Group, Abitibi, Quebec
(Paradis, Suzanne, *et al.*) 1: 134-144
— North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry
(Papezik, V. S., *et al.*) 1: 74-83
— Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon
(Russell, J. K., *et al.*) 4: 486-494
— Petrology of a plagioclase-bearing olivine websterite from the Gorringe Bank (northeastern Atlantic Ocean)
(Serri, Giancarlo, *et al.*) 4: 557-569
— Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada
(Shaver, Stephen A.) 7: 1000-1019

magmas—evolution
greenstone belts: Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec
(St. Seymour, Karen, *et al.*) 5: 691-700
volcanology: Relations between eruption dynamics and deep magmatic replenishment of Popocatepetl
(Boudal, Christian, *et al.*) 7: 955-971

magmas—genesis
hybridization: Field evidence for successive mixing and mingling between the Piolard Diorite and the Saint-Julien-la-Vetre Monzogranite (Nord-Forez, Massif Central, France)
(Barbarin, Bernard) 1: 49-59
melting: Late Precambrian to Late Devonian mafic magmatism in the Antigonish Highlands of Nova Scotia; multistage melting of a hydrated mantle
(Murphy, J. Brendan) 4: 473-485
rifting: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546

magmas—geochemistry
isotopes: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
strontium: The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia
(Jones, Lois M., *et al.*) 6: 942-944

magnetic surveys *see under* geophysical surveys *under* British Columbia

magnetism of rocks and minerals *see* paleomagnetism

magnetotelluric methods *see under* geophysical methods

magnetotelluric surveys *see under* geophysical surveys *under* data processing; Saskatchewan

Mammalia—Elephantoidea
Pleistocene: A woolly mammoth (Proboscidea, Mammuthus primigenius) molar from the Hudson Bay Lowland of Manitoba
(Nielsen, Erik, *et al.*) 6: 933-938

Mammalia—Pinnipedia
Pleistocene: Seal (Phoca sp.) from Champlain Sea deposits near Ottawa, Canada
(Naldrett, D. L.) 5: 787-790

mammals—biostratigraphy
Pleistocene: ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan
(Zymela, Steve, *et al.*) 2: 235-245

mammals—paleoecology
Quaternary: Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, Northeast British Columbia
(Driver, Jonathan C.) 10: 1545-1553

Manitoba—environmental geology
pollution: Uranium in groundwaters of southeastern Manitoba, Canada
(Betcher, R. N., *et al.*) 12: 2089-2103

Manitoba—geochronology
Precambrian: Rubidium-strontium ages of Archean and Proterozoic rocks in the Nejanilini and Great Island domains, Churchill Province, northern Manitoba, Canada
(Clark, G. S., *et al.*) 2: 246-254

Manitoba—geomorphology
glacial geology: Drift carbonate on the Canadian Shield; II, Carbonate dispersal and ice-flow patterns in northern Manitoba
(Dredge, L. A.) 5: 783-787

Manitoba—paleontology
Mammalia: A woolly mammoth (Proboscidea, Mammuthus primigenius) molar from the Hudson Bay Lowland of Manitoba
(Nielsen, Erik, *et al.*) 6: 933-938
Reptilia: The first record of the mosasaur Hainosaurus (Reptilia; Lacertilia) from North America
(Nicholls, Elizabeth L.) 10: 1564-1570

Manitoba—sedimentary petrology
sedimentation: Differential attrition of molluscan shells in freshwater sediments
(Pip, Eva) 1: 68-73

mantle *see also under* tectonophysics *under* France

mantle—processes
convection: Convection tectonics; some possible effects upon the Earth's surface of flow from the deep mantle
(Wilson, J. Tuzo) 8: 1199-1208

maps *see also under* geophysical surveys *under* British Columbia

marine sediments *see under* sediments

Maritime Provinces—stratigraphy
Quaternary: Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply]
(Stea, R. R., *et al.*) 2: 348-351

Mediterranean region *see also* the individual countries

Mesozoic *see also under* stratigraphy *under* Nova Scotia; Pacific Coast

metamorphic rocks *see also* igneous rocks; metamorphism; metasomatism

metamorphic rocks—amphibolites
geochemistry: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337

metamorphic rocks—distribution
terranes: Structural patterns and tectonic evolution of supracrustal domains in the Archean Slave Province, Canada
(Fyson, W. K., *et al.*) 2: 301-315

metamorphic rocks—eclogite
textures: Retrograde eclogite from Mont Albert, Gaspe, Quebec
(Trzcienski, Walter E., Jr.) 1: 30-37
— Retrograde eclogite from Mont Albert, Gaspe, Quebec [discussion]
(Spray, John G.) 9: 1542-1543

metamorphic rocks—facies
amphibolite facies: Origin and U-Pb geochronology of amphibolite-facies metamorphic rocks, Miramichi Highlands, New Brunswick
(Fyffe, Les, *et al.*) 10: 1674-1686

metamorphic rocks—geochemistry
trace elements: Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec
(St. Seymour, Karen, *et al.*) 5: 691-700

metamorphic rocks—gneisses
geochemistry: Geochemistry of the gneissic basement complex near Valemount, British Columbia; further evidence for a varied origin
(Chamberlain, V. E., *et al.*) 11: 1725-1739

metamorphic rocks—metaigneous rocks
metagabbro: Contrasting assemblages and petrogenetic evolution of corona and noncorona gabbros in the Grenville Province of western Labrador
(Rivers, T., *et al.*) 10: 1629-1648

metamorphic rocks—metasedimentary rocks
provenance: Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence
(Burwash, R. A., *et al.*) 6: 824-832
textures: A fault-bounded outlier of Archean clastic rocks near Thunder Bay, Ontario
(Kehlenbeck, M. M.) 1: 152-157

metamorphic rocks—metavolcanic rocks
facies: Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario
(Piroshco, Darwin W., *et al.*) 12: 2028-2040
genesis: Volcanism on the passive margin of Laurentia; an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin
(Kumarapeli, Stephen, *et al.*) 11: 1824-1833
metallogeny: Geological setting of gold, western Wabigoon Subprovince, Canadian Shield; exploration targets in mixed volcanic successions
(Melling, David R., *et al.*) 12: 2075-2088
textures: Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec
(Tourigny, Ghislain, *et al.*) 4: 581-592

metamorphic rocks—mineral assemblages
facies: Proterozoic metamorphism in the Grenville Province; a study in the Double Mer–Lake Melville area, eastern Labrador
(Gower, C. F., *et al.*) 11: 1895-1905
geochemistry: Boron and lithium in high-grade rocks and minerals from the Wawa-Kapuskasing region, Ontario
(Shaw, D. M., *et al.*) 9: 1485-1502

metamorphic rocks—mylonites
fabric: Strain-induced mineral growth in ductile shear zones and a preliminary study of ductile shearing in western Newfoundland
(Piasecki, M. A. J.) 12: 2118-2129
geochemistry: Geochemical changes accompanying the mylonitization of diverse rock types from the Grenville Front zone, eastern Labrador
(Owen, J. V.) 9: 1472-1484

metamorphic rocks—slates
fabric: Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077

metamorphic rocks—textures
fabric: Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702

metamorphism *see also* metamorphic rocks; metasomatism

metamorphism—causes
plate tectonics: Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776

metamorphism—evolution
thermal history: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada
(Hanes, J. A., *et al.*) 11: 1834-1845

metamorphism—grade
high-grade metamorphism: U-Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador
(Scharer, U., *et al.*) 7: 1098-1107

metamorphism—polymetamorphism
evolution: Geology of part of a long-lived dynamic plate margin; the coastal cordillera of north-central Chile, latitude 30°51′-31°S
(Irwin, James J., *et al.*) 4: 603-624
P-T conditions: Contrasting assemblages and petrogenetic evolution of corona and noncorona gabbros in the Grenville Province of western Labrador
(Rivers, T., *et al.*) 10: 1629-1648
— Xenoliths in a mafic dyke at Popes Harbour, Nova Scotia; implications for the basement to the Meguma Group
(Owen, J. V., *et al.*) 9: 1464-1471

metamorphism—regional metamorphism
absolute age: Geochronology of the Belmont Lake Metavolcanic Complex and implications for crustal development in the Central Metasedimentary Belt, Grenville Province, Ontario
(Davis, D. W., *et al.*) 11: 1751-1759
P-T conditions: Proterozoic metamorphism in the Grenville Province; a study in the Double Mer–Lake Melville area, eastern Labrador
(Gower, C. F., *et al.*) 11: 1895-1905

metamorphism—retrograde metamorphism
P-T conditions: Retrograde eclogite from Mont Albert, Gaspe, Quebec
(Trzcienski, Walter E., Jr.) 1: 30-37
— Retrograde eclogite from Mont Albert, Gaspe, Quebec [discussion]
(Spray, John G.) 9: 1542-1543

metamorphism—shock metamorphism
impacts: Microscopic planar features in quartz from Scollard Canyon, Alberta, and the Cretaceous-Tertiary boundary event
(Grieve, R. A. F., *et al.*) 9: 1530-1534

metasomatic rocks *see also* igneous rocks; metamorphic rocks; metamorphism; metasomatism

metasomatism *see also* metamorphism

metasomatism—processes
hydrothermal alteration: Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario
(Piroshco, Darwin W., *et al.*) 12: 2028-2040

meteor craters *see also under* geomorphology *under* Michigan

methods *see under* geochronology; rock mechanics; spectroscopy

Mexico—volcanology
Popocatepetl: Relations between eruption dynamics and deep magmatic replenishment of Popocatepetl
(Boudal, Christian, *et al.*) 7: 955-971

Michigan—geochemistry
trace elements: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546

Michigan—geomorphology
meteor craters: The Calvin 28 Structure; evidence for impact origin
(Milstein, Randall L.) 9: 1524-1530

Midwest *see also* Michigan; Minnesota

mineral deposits, genesis—gold ores
controls: Geological setting of gold, western Wabigoon Subprovince, Canadian Shield; exploration targets in mixed volcanic successions
(Melling, David R., *et al.*) 12: 2075-2088
structural controls: Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario
(Piroshco, Darwin W., *et al.*) 12: 2028-2040
— Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec
(Tourigny, Ghislain, *et al.*) 4: 581-592

mineral deposits, genesis—lead-zinc deposits
controls: Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland; evidence for diverse lead sources
(Swinden, H. Scott, *et al.*) 4: 593-602
hydrothermal processes: Fluid-inclusion evidence of basinal brines in Archean basement, Thunder Bay Pb-Zn-Ba district, Ontario, Canada
(Haynes, Frederick M.) 11: 1884-1894
interpretation: Pb-Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration; Paleozoic sedimentary rocks, Northern Appalachians, Quebec
(Schrijver, K., *et al.*) 11: 1777-1790

mineral deposits, genesis—molybdenum ores
igneous processes: Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada
(Shaver, Stephen A.) 7: 1000-1019

mineral deposits, genesis—polymetallic ores
environment: Physical volcanology of the footwall rocks near Mattabi massive sulphide deposit, Sturgeon Lake, Ontario
(Groves, D. A., *et al.*) 2: 280-291
geochemical controls: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes
(Kerrich, R., *et al.*) 6: 945-953
hydrothermal processes: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402
igneous processes: Plutonic and hydrothermal events in the Ackley Granite, Southeast Newfoundland, as indicated by total-fusion $^{40}Ar/^{39}Ar$ geochronology
(Kontak, D. J., *et al.*) 8: 1151-1160

mineral deposits, genesis—uranium ores
evolution: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan
(Powers, Laura J., *et al.*) 12: 1945-1954

mineral exploration—geological methods
iron ores: Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800

mineral exploration—ore guides
gold ores: Geological setting of gold, western Wabigoon Subprovince, Canadian Shield; exploration targets in mixed volcanic successions
(Melling, David R., *et al.*) 12: 2075-2088
tourmaline: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402

mineral prospecting *see* mineral exploration

mineral resources *see also* the individual deposits

minerals *see also* crystal growth

minerals—chain silicates, clinopyroxene
crystal chemistry: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres
(Bedard, Jean H. J., *et al.*) 12: 2041-2058

minerals—oxides
pitchblende: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan
(Powers, Laura J., *et al.*) 12: 1945-1954

minerals—sulfides
galena: Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland; evidence for diverse lead sources
(Swinden, H. Scott, *et al.*) 4: 593-602

Minnesota—structural geology
structural analysis: Transpression in an Archean greenstone belt, northern Minnesota
(Hudleston, P. J., *et al.*) 7: 1060-1068

miospores *see under* palynomorphs

Mohorovicic discontinuity *see also* crust; mantle

Mollusca—fossilization
taphonomy: Differential attrition of molluscan shells in freshwater sediments
(Pip, Eva) 1: 68-73

mollusks—ammonoids
Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523

mollusks—biostratigraphy
Holocene: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673

molybdenum ores *see also under* economic geology *under* Nevada

Montana—geochronology
Cretaceous: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Paleocene: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Tertiary: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites

from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097

Montana—stratigraphy
Cretaceous: Cretaceous (Albian-Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta
(Lang, Harold R., *et al.*) 2: 316-342
Pleistocene: Climatic significance of late Pleistocene insect fossils from Marias Pass, Montana
(Elias, Scott A.) 6: 922-926

moraines *see under* glacial features *under* glacial geology

Morocco—stratigraphy
Cambrian: Variations in thickness of the Middle Cambrian in the western plateau region of Morocco; geodynamic significance of surface and subsurface data
(Bernardin, Christine, *et al.*) 12: 2104-2117

mud volcanoes *see also* volcanology

nappes *see under* orientation *under* folds

neodymium—isotopes
Nd-144/Nd-143: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
— Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence
(Burwash, R. A., *et al.*) 6: 824-832

Neogene *see also under* geochronology *under* British Columbia

neotectonics *see also* tectonics; *see also under* structural geology *under* British Columbia

Nevada—economic geology
molybdenum ores: Petrology, petrography, and crystallization history of intrusive phases related to the Hall (Nevada Moly) molybdenum deposit, Nye County, Nevada
(Shaver, Stephen A.) 7: 1000-1019

Nevada—stratigraphy
Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523

New Brunswick—geochronology
Jurassic: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada
(Hodych, J. P., *et al.*) 12: 1972-1989
Ordovician: Origin and U-Pb geochronology of amphibolite-facies metamorphic rocks, Miramichi Highlands, New Brunswick
(Fyffe, Les, *et al.*) 10: 1674-1686

New Brunswick—stratigraphy
Cambrian: Lithostratigraphy of the Cambrian-Lower Ordovician Saint John Group, southern New Brunswick
(Tanoli, Saifullah K., *et al.*) 5: 669-690
changes of level: Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply]
(Stea, R. R., *et al.*) 2: 348-351
Devonian: Implications of spore evidence for Late Devonian age of the Piskahegan Group, southwestern New Brunswick
(McGregor, D. C., *et al.*) 9: 1349-1364
Ordovician: Lithostratigraphy of the Cambrian-Lower Ordovician Saint John Group, southern New Brunswick
(Tanoli, Saifullah K., *et al.*) 5: 669-690

New Brunswick—structural geology
tectonics: Collision along an irregular margin; a regional plate tectonic interpretation of the Canadian Appalachians [discussion and reply]
(van Staal, Cees R., *et al.*) 11: 1912-1922

New Brunswick—tectonophysics
paleomagnetism: A comparison of magnetic character and alteration in three granite drill cores from Eastern Canada
(Harding, K. L., *et al.*) 8: 1141-1150

Newfoundland—economic geology
lead-zinc deposits: Lead-isotope compositions of galena in carbonate-hosted deposits of western Newfoundland; evidence for diverse lead sources
(Swinden, H. Scott, *et al.*) 4: 593-602
polymetallic ores: Plutonic and hydrothermal events in the Ackley Granite, Southeast Newfoundland, as indicated by total-fusion $^{40}Ar/^{39}Ar$ geochronology
(Kontak, D. J., *et al.*) 8: 1151-1160

Newfoundland—geochronology
Jurassic: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada
(Hodych, J. P., *et al.*) 12: 1972-1989
Paleozoic: Plutonic and hydrothermal events in the Ackley Granite, Southeast Newfoundland, as indicated by total-fusion $^{40}Ar/^{39}Ar$ geochronology
(Kontak, D. J., *et al.*) 8: 1151-1160
Proterozoic: Precise U-Pb zircon dates from the Avalon Terrane in Newfoundland
(Krogh, T. E., *et al.*) 3: 442-453

Newfoundland—geophysical surveys
gravity surveys: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland
(Miller, H. G.) 8: 1161-1174

Newfoundland—oceanography
continental margin: Crustal structure across the Southwest Newfoundland transform margin
(Todd, B. J., *et al.*) 5: 744-759
— Crustal structure beneath the southern Grand Banks; seismic-refraction results and their implications
(Reid, I.) 5: 760-772
continental slope: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865

Newfoundland—stratigraphy
Ordovician: Paleomagnetic study of the Ordovician Table Head Group, Port au Port Peninsula, Newfoundland
(Hall, Stuart A., *et al.*) 9: 1407-1419
Proterozoic: Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland
(Gardiner, S., *et al.*) 10: 1579-1594

Newfoundland—structural geology
deformation: Strain-induced mineral growth in ductile shear zones and a preliminary study of ductile shearing in western Newfoundland
(Piasecki, M. A. J.) 12: 2118-2129
tectonics: Collision along an irregular margin; a regional plate tectonic interpretation of the Canadian Appalachians [discussion and reply]
(van Staal, Cees R., *et al.*) 11: 1912-1922

Newfoundland—tectonophysics
crust: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland
(Miller, H. G.) 8: 1161-1174

New York—geomorphology
glacial geology: Subaqueous outwash deposits in the Ingraham Ridge, Chazy, New York
(Diemer, John A.) 9: 1384-1396

nickel—geochemistry
plutonic rocks: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland
(Miller, H. G.) 8: 1161-1174

nickel ores *see also under* economic geology *under* Saskatchewan

North America *see also* Appalachians; Canada; Great Lakes; Great Lakes region; Mexico; Rocky Mountains

North America—paleontology
Reptilia: The first record of the mosasaur Hainosaurus (Reptilia; Lacertilia) from North America
(Nicholls, Elizabeth L.) 10: 1564-1570

North America—stratigraphy
Cambrian: The status of Salterella as a Lower Cambrian index fossil
(Fritz, W. H., *et al.*) 3: 403-416

North America—tectonophysics
plate tectonics: Northward motion of the Whitehorse Trough; paleomagnetic evidence from the Upper Cretaceous Carmacks Group
(Marquis, Guy, *et al.*) 12: 2005-2016
— Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432
— Volcanism on the passive margin of Laurentia; an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin
(Kumarapeli, Stephen, *et al.*) 11: 1824-1833

Northern Hemisphere *see also* Arctic Ocean; Atlantic Ocean; North America; Pacific Ocean

Northwest Territories—engineering geology
geologic hazards: Airborne UHF radar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada
(Narod, B. Barry, *et al.*) 1: 95-105
Northwest Territories—geochronology
Holocene: Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*) 12: 1990-2004
Northwest Territories—geomorphology
glacial geology: Basal-flow conditions at the northeastern margin of the Laurentide ice sheet, Lancaster Sound
(Klassen, R. A., *et al.*) 11: 1740-1750
— Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*) 6: 810-823
— Late glacial landforms of Wollaston Peninsula, Victoria Island, Northwest Territories; product of ice-marginal retreat, surge, and mass stagnation
(Sharpe, David R.) 2: 262-279
— Pingo collapse and paleoclimatic reconstruction
(Mackay, J. Ross) 4: 495-511
Northwest Territories—geophysical surveys
remote sensing: Airborne UHF radar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada
(Narod, B. Barry, *et al.*) 1: 95-105
Northwest Territories—stratigraphy
Cretaceous: Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations
(Wynne, P. J., *et al.*) 8: 1220-1239
— Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago
(Embry, Ashton F., *et al.*) 8: 1209-1219
Ordovician: An Ibexian (Early Ordovician) trilobite faunule from the type section of the Rabbitkettle Formation (southern Mackenzie Mountains, Northwest Territories)
(Pratt, Brian R.) 10: 1595-1607
Silurian: Lingulid brachiopods and Lingulichnus from a Silurian shelf-slope carbonate sequence, Delorme Group, Mackenzie Mountains, Northwest Territories
(Over, D. Jeffrey) 3: 465-471
— Upper Llandovery and Wenlock graptolites from Prairie Creek, southern Mackenzie Mountains, Northwest Territories
(Lenz, Alfred C.) 12: 1955-1971
Nova Scotia—geochemistry
isotopes: The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia
(Jones, Lois M., *et al.*) 6: 942-944
trace elements: Late Precambrian to Late Devonian mafic magmatism in the Antigonish Highlands of Nova Scotia; multistage melting of a hydrated mantle
(Murphy, J. Brendan) 4: 473-485
— North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry
(Papezik, V. S., *et al.*) 1: 74-83
Nova Scotia—geochronology
Carboniferous: U-Pb and Rb-Sr geochronology of the Wedgeport granitoid pluton, southwestern Nova Scotia
(Cormier, R. F., *et al.*) 2: 255-261
Jurassic: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada
(Hodych, J. P., *et al.*) 12: 1972-1989
Permian: U-Pb and Rb-Sr geochronology of the Wedgeport granitoid pluton, southwestern Nova Scotia
(Cormier, R. F., *et al.*) 2: 255-261
Nova Scotia—oceanography
continental shelf: Surficial sediments of the outer banks, Scotian Shelf, Canada
(Amos, Carl Leonetto, *et al.*) 12: 1923-1944
continental slope: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
Nova Scotia—petrology
inclusions: Xenoliths in a mafic dyke at Popes Harbour, Nova Scotia; implications for the basement to the Meguma Group
(Owen, J. V., *et al.*) 9: 1464-1471
Nova Scotia—stratigraphy
changes of level: Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply]
(Stea, R. R., *et al.*) 2: 348-351
Mesozoic: North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry
(Papezik, V. S., *et al.*) 1: 74-83
Nova Scotia—tectonophysics
paleomagnetism: A comparison of magnetic character and alteration in three granite drill cores from Eastern Canada
(Harding, K. L., *et al.*) 8: 1141-1150
ocean circulation *see also under* oceanography
under Atlantic Ocean
ocean floors *see also under* oceanography
under Arctic Ocean; Pacific Ocean
Ontario—economic geology
barite deposits: Fluid-inclusion evidence of basinal brines in Archean basement, Thunder Bay Pb-Zn-Ba district, Ontario, Canada
(Haynes, Frederick M.) 11: 1884-1894
gold ores: Geological setting of gold, western Wabigoon Subprovince, Canadian Shield; exploration targets in mixed volcanic successions
(Melling, David R., *et al.*) 12: 2075-2088
— Relationship of hydrothermal alteration to structure and stratigraphy at the Coniaurum gold mine, northern Ontario
(Piroshco, Darwin W., *et al.*) 12: 2028-2040
lead-zinc deposits: Fluid-inclusion evidence of basinal brines in Archean basement, Thunder Bay Pb-Zn-Ba district, Ontario, Canada
(Haynes, Frederick M.) 11: 1884-1894
polymetallic ores: Physical volcanology of the footwall rocks near Mattabi massive sulphide deposit, Sturgeon Lake, Ontario
(Groves, D. A., *et al.*) 2: 280-291
Ontario—geochemistry
isotopes: Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
— Stable isotopes in sulphate minerals from the Salina Formation in southwestern Ontario
(Fritz, P., *et al.*) 2: 195-205
pore water: Origin of salt in coastal marshes of Hudson and James bays
(Price, Jonathan S., *et al.*) 1: 145-147
trace elements: Boron and lithium in high-grade rocks and minerals from the Wawa-Kapuskasing region, Ontario
(Shaw, D. M., *et al.*) 9: 1485-1502
— Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario
(Barrett, T. J., *et al.*) 4: 570-580
Ontario—geochronology
Paleozoic: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada
(Hanes, J. A., *et al.*) 11: 1834-1845
Proterozoic: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada
(Hanes, J. A., *et al.*) 11: 1834-1845
— Geochronology of the Belmont Lake Metavolcanic Complex and implications for crustal development in the Central Metasedimentary Belt, Grenville Province, Ontario
(Davis, D. W., *et al.*) 11: 1751-1759
Quaternary: Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior
(Mothersill, John S.) 11: 1791-1799
Ontario—geomorphology
glacial geology: A pre-Paris ice-sheet limit near Guelph, southern Ontario
(Straw, Allan) 11: 1871-1883
— Sedimentation in an esker system influenced by bedrock topography near

Kingston, Ontario
(Henderson, Penny J.) 7: 987-999
— Subglacial erosional marks, Wilton Creek, Ontario
(Shaw, John) 8: 1256-1267
— The Lake Algonquin shoreline, Kincardine–Port Elgin, Ontario
(Karrow, P. F.) 1: 157-162

Ontario—hydrogeology
hydrology: Pipe flow in James Bay coastal wetlands
(Woo, Ming-ko, *et al.*) 4: 625-629

Ontario—paleontology
Mammalia: Seal (Phoca sp.) from Champlain Sea deposits near Ottawa, Canada
(Naldrett, D. L.) 5: 787-790

Ontario—sedimentary petrology
sedimentation: Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800

Ontario—stratigraphy
Archean: Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tiiting
(Halls, H. C., *et al.*) 5: 732-743
— Stratigraphy of the Steep Rock Group, Northwest Ontario; a major Archaean unconformity and Archaean stromatolites
(Wilks, M. E., *et al.*) 3: 370-391
Holocene: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
— Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
Pleistocene: Lacustrine ostracodes in the late Pleistocene Sunnybrook diamicton of southern Ontario, Canada [discussion and reply]
(Nielsen, Erik, *et al.*) 10: 1717-1723
— Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance
(Eyles, Nicholas, *et al.*) 7: 1108-1122
Proterozoic: Nonglaciogenic deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario
(Rainbird, R. H., *et al.*) 5: 710-724
Quaternary: Stable-isotope paleoclimate records for southern Ontario, Canada; comparison of results from marl and wood
(Edwards, T. W. D., *et al.*) 9: 1397-1406

Ontario—structural geology
structural analysis: A fault-bounded outlier of Archean clastic rocks near Thunder Bay, Ontario
(Kehlenbeck, M. M.) 1: 152-157
tectonics: Ductile thrusting at mid-crustal level, southwestern Grenville Province
(Hanmer, Simon) 7: 1049-1059

ophiolite *see under* ultramafics *under* igneous rocks

Ordovician *see also under* geochronology *under* New Brunswick; Shetland Islands; *see also under* stratigraphy *under* New Brunswick; Newfoundland; Northwest Territories; Quebec

ore guides *see under* mineral exploration

Oregon—petrology
magmas: Petrographic constraints on modelling the crystallization of basalt magma, Cow Lakes, Southeast Oregon
(Russell, J. K., *et al.*) 4: 486-494

Oregon—stratigraphy
Jurassic: An ammonite zonation for the Lower Jurassic of Canada and the United States; the Pliensbachian
(Smith, Paul L., *et al.*) 9: 1503-1523

organic materials—amino acids
composition: Late Quaternary history of the Lake O'Hara region, British Columbia; an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records
(Reasoner, Mel A., *et al.*) 7: 1037-1048

organic materials—hydrocarbons
methane: Methane and hydrogen in mid-ocean-ridge basalt glasses; analysis by vacuum crushing
(Welhan, J. A.) 1: 38-48

orogeny *see also* geosynclines; tectonics

orogeny—absolute age
Grenvillian Orogeny: An $^{40}/^{39}$Ar geochronological study of the Elzevir Batholith and its bearing on the tectonothermal history of the southwestern Grenville Province, Canada
(Hanes, J. A., *et al.*) 11: 1834-1845
Makkovik Orogeny: U-Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador
(Scharer, U., *et al.*) 7: 1098-1107
Proterozoic: Unreworked Archaean basement and Proterozoic supracrustal rocks from northeastern Disko Bugt, West Greenland; implications for the nature of Proterozoic mobile belts in Greenland
(Kalsbeek, F., *et al.*) 5: 773-782

orogeny—evolution
Grenvillian Orogeny: Proterozoic metamorphism in the Grenville Province; a study in the Double Mer–Lake Melville area, eastern Labrador
(Gower, C. F., *et al.*) 11: 1895-1905

orogeny—mechanism
Grenvillian Orogeny: Ductile thrusting at mid-crustal level, southwestern Grenville Province
(Hanmer, Simon) 7: 1049-1059

Ostracoda *see also* ostracods

ostracods—paleoecology
Pleistocene: Lacustrine ostracodes in the late Pleistocene Sunnybrook diamicton of southern Ontario, Canada [discussion and reply]
(Nielsen, Erik, *et al.*) 10: 1717-1723

oxides *see under* minerals

oxygen—isotopes
O-18/O-16: Field, isotopic, and chemical studies of tourmaline-bearing rocks in the Belt-Purcell Supergroup; genetic constraints and exploration significance for Sullivan type ore deposits
(Beaty, David W., *et al.*) 3: 392-402
— Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255
— Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
— Stable-isotope paleoclimate records for southern Ontario, Canada; comparison of results from marl and wood
(Edwards, T. W. D., *et al.*) 9: 1397-1406
— Stable-isotope pattern predicted in surge-type glaciers
(Waddington, E. D., *et al.*) 5: 657-668
— Stable isotopes in planktonic and benthic foraminifera from Arctic Ocean surface sediments
(Aksu, Ali E., *et al.*) 5: 701-709

P-T conditions *see under* polymetamorphism *under* metamorphism; *see under* regional metamorphism *under* metamorphism; *see under* retrograde metamorphism *under* metamorphism

Pacific Coast *see also* the individual states and provinces

Pacific Coast—engineering geology
earthquakes: An assessment of the megathrust earthquake potential of the Cascadia subduction zone
(Rogers, Garry C.) 6: 844-852
geologic hazards: An assessment of the megathrust earthquake potential of the Cascadia subduction zone
(Rogers, Garry C.) 6: 844-852

Pacific Coast—stratigraphy
Mesozoic: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432

Pacific Coast—structural geology
tectonics: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432

Pacific Ocean—geochemistry
lava: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
trace elements: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133

Pacific Ocean—geophysical surveys
seismic surveys: Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810
— The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*)
11: 1857-1870
Pacific Ocean—oceanography
ocean floors: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133
Pacific Ocean—tectonophysics
plate tectonics: An assessment of the megathrust earthquake potential of the Cascadia subduction zone
(Rogers, Garry C.) 6: 844-852
— The Queen Charlotte Islands refraction project; Part I, The Queen Charlotte fault zone
(Dehler, Sonya A., *et al.*)
11: 1857-1870
Pacific region *see also* the individual countries
Paleocene *see also under* geochronology *under* Alberta; Montana; Saskatchewan; *see also under* stratigraphy *under* Alaska; Alberta
paleoclimatology—Holocene
Great Lakes: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
Northwest Territories: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*)
6: 810-823
— Pingo collapse and paleoclimatic reconstruction
(Mackay, J. Ross) 4: 495-511
paleoclimatology—Pleistocene
British Columbia: Ice-free conditions in southwestern British Columbia at 16 000 years BP
(Clague, John J., *et al.*) 6: 938-941
Montana: Climatic significance of late Pleistocene insect fossils from Marias Pass, Montana
(Elias, Scott A.) 6: 922-926
Ontario: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance
(Eyles, Nicholas, *et al.*) 7: 1108-1122
paleoclimatology—Quaternary
Alaska: Late Quaternary vegetational history of the Black River region in northeastern Alaska
(Anderson, Patricia M., *et al.*) 1: 84-94
British Columbia: Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, Northeast British Columbia
(Driver, Jonathan C.) 10: 1545-1553
Great Lakes: Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior
(Mothersill, John S.) 11: 1791-1799
Labrador: Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255
Ontario: Stable-isotope paleoclimate records for southern Ontario, Canada; comparison of results from marl and wood
(Edwards, T. W. D., *et al.*)
9: 1397-1406
paleoecology—brachiopods
Silurian: Lingulid brachiopods and Lingulichnus from a Silurian shelf-slope carbonate sequence, Delorme Group, Mackenzie Mountains, Northwest Territories
(Over, D. Jeffrey) 3: 465-471
paleoecology—Cretaceous
Montana: Cretaceous (Albian-Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta
(Lang, Harold R., *et al.*) 2: 316-342
paleoecology—Devonian
Alaska: Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane
(Soja, Constance M.) 5: 639-656
Quebec: Faunal assemblages of the Upper Gaspe Limestones, Early Devonian of eastern Gaspe, Quebec
(Lesperance, Pierre J., *et al.*)
9: 1432-1449
paleoecology—foraminifers
Quaternary: Labrador Shelf benthic foraminifera and stable oxygen isotopes of Cibicides lobatulus related to the Labrador Current
(Vilks, G., *et al.*) 8: 1240-1255
paleoecology—Holocene
Northwest Territories: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*)
6: 810-823
paleoecology—Quaternary
Alaska: Late Quaternary vegetational history of the Black River region in northeastern Alaska
(Anderson, Patricia M., *et al.*) 1: 84-94
British Columbia: Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, Northeast British Columbia
(Driver, Jonathan C.) 10: 1545-1553
paleogeography—Cretaceous
Arctic region: Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations
(Wynne, P. J., *et al.*) 8: 1220-1239
Montana: Cretaceous (Albian-Turonian) foraminiferal biostratigraphy and paleogeography of northern Montana and southern Alberta
(Lang, Harold R., *et al.*) 2: 316-342
Saskatchewan: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*)
10: 1554-1563
paleogeography—Devonian
Alaska: Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane
(Soja, Constance M.) 5: 639-656
paleogeography—Eocene
Washington: Sedimentation and tectonics of the lower and middle Eocene Swauk Formation in eastern Swauk Basin, central Cascades, central Washington
(Taylor, Stephen B., *et al.*)
7: 1020-1036
paleogeography—Holocene
Great Lakes: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
Great Lakes region: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
Northwest Territories: Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*)
12: 1990-2004
paleogeography—Neogene
British Columbia: Neogene geology of the Okanagan Highland, British Columbia
(Mathews, W. M.) 5: 725-731
paleogeography—Pleistocene
Atlantic Ocean: Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea; a history of bottom circulation and glaciation
(Myers, Robert A., *et al.*)
12: 2059-2074
Canada: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
Great Lakes region: The Lake Algonquin shoreline, Kincardine–Port Elgin, Ontario
(Karrow, P. F.) 1: 157-162
paleogeography—Proterozoic
British Columbia: Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence
(Burwash, R. A., *et al.*) 6: 824-832
Newfoundland: Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland
(Gardiner, S., *et al.*) 10: 1579-1594
Ontario: Nonglaciogenic deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario
(Rainbird, R. H., *et al.*) 5: 710-724
paleomagnetism *see under* geochronology
paleomagnetism—Archean
Ontario: Paleomagnetism and orientation of Precambrian dykes, eastern Lake Superior region, and their use in estimates of crustal tilting
(Halls, H. C., *et al.*) 5: 732-743

paleomagnetism—Cretaceous
British Columbia: Cretaceous remagnetization in the Sylvester Allochthon; limits to post-105 Ma northward displacement of north-central British Columbia (Butler, R. F., *et al.*) 8: 1316-1322
Canada: Northward motion of the Whitehorse Trough; paleomagnetic evidence from the Upper Cretaceous Carmacks Group (Marquis, Guy, *et al.*) 12: 2005-2016
Northwest Territories: Paleomagnetism of Cretaceous volcanic rocks of the Sverdrup Basin; magnetostratigraphy, paleolatitudes, and rotations (Wynne, P. J., *et al.*) 8: 1220-1239
paleomagnetism—Jurassic
Canada: Paleomagnetism and K-Ar isochron dates of Early Jurassic basaltic flows and dikes of Atlantic Canada (Hodych, J. P., *et al.*) 12: 1972-1989
paleomagnetism—magnetic susceptibility
granites: A comparison of magnetic character and alteration in three granite drill cores from Eastern Canada (Harding, K. L., *et al.*) 8: 1141-1150
slates: Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics (Borradaile, G., *et al.*) 7: 1069-1077
paleomagnetism—Ordovician
Newfoundland: Paleomagnetic study of the Ordovician Table Head Group, Port au Port Peninsula, Newfoundland (Hall, Stuart A., *et al.*) 9: 1407-1419
paleomagnetism—Pleistocene
Arctic Ocean: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results (Thouveny, N.) 6: 833-843
paleomagnetism—stability
remagnetization: The Iceland Research Drilling Project crustal section; stable remagnetization below 3 km crustal depth (Hall, James M., *et al.*) 8: 1304-1315
Paleosols *see under* clastic sediments *under* sediments
paleotemperature *see* geologic thermometry *under* fluid inclusions
Paleozoic *see also under* geochronology *under* Newfoundland; Ontario
paleozoogeography *see* biogeography
palynomorphs—biostratigraphy
Cretaceous: Palynology of Maastrichtian and Paleocene rocks, lower Colville River region, North Slope of Alaska (Frederiksen, N. O., *et al.*) 4: 512-527
palynomorphs—chitinozoans
Ordovician: Provincialism of Ordovician chitinozoans (Achab, Aicha) 4: 635-638
palynomorphs—miospores
Devonian: Implications of spore evidence for Late Devonian age of the Piskahegan Group, southwestern New Brunswick (McGregor, D. C., *et al.*) 9: 1349-1364
Eocene: Palynology and geochronology of Eocene beds from Cheslatta Falls and Nazko areas, central British Columbia (Rouse, G. E., *et al.*) 8: 1268-1276
Holocene: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels (Flint, J. E., *et al.*) 8: 1175-1183
Mesozoic: Biochronology of selected Bowser Basin strata; tectonic significance (Moffat, I. W., *et al.*) 10: 1571-1578
Quaternary: Late Quaternary vegetational history of the Black River region in northeastern Alaska (Anderson, Patricia M., *et al.*) 1: 84-94
paragenesis—uranium ores
Saskatchewan: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan (Powers, Laura J., *et al.*) 12: 1945-1954
periglacial features *see under* glacial geology
permafrost *see also under* engineering geology *under* Yukon Territory
permafrost—experimental studies
infiltration: Rates of infiltration into frozen and unfrozen fine sand (Engelmark, Helen) 2: 343-347
Permian *see also under* geochronology *under* British Columbia; Nova Scotia
Phanerozoic—paleontology
ichnofossils: The ichnotaxonomy of Conostichus and other plug-shaped ichnofossils (Pemberton, S. George, *et al.*) 6: 866-892
physical geography *see* geomorphology
pingos *see under* periglacial features *under* glacial geology
Plantae *see also* algal flora; ichnofossils; palynomorphs; problematic fossils
plate tectonics *see also under* tectonophysics *under* Andes; Appalachians; Arctic region; Canadian Shield; Chile; North America; Pacific Ocean
plate tectonics—mechanism
plate collision: Convection tectonics; some possible effects upon the Earth's surface of flow from the deep mantle (Wilson, J. Tuzo) 8: 1199-1208
plate tectonics—rifting
mechanism: A quantitative analysis of lithospheric subsidence due to thinning by simple shear (Mudford, Brett S.) 1: 20-29
Pleistocene *see also under* geochronology *under* Alberta; Arctic Ocean; British Columbia; Saskatchewan; *see also under* stratigraphy *under* Atlantic Ocean; Canada; Labrador; Montana; Ontario; Saskatchewan
Pliocene *see also under* geochronology *under* Iceland
plutons *see under* intrusions
Poland—geomorphology
glacial geology: Pleistocene epigenetic and sygenetic frost fissures, Belchatow, Poland (French, H. M., *et al.*) 12: 2017-2027
pollution *see also under* environmental geology *under* Manitoba
polymetallic ores *see also under* economic geology *under* British Columbia; Canadian Shield; Newfoundland; Ontario
potassium—geochemistry
gold ores: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes (Kerrich, R., *et al.*) 6: 945-953
Precambrian *see also under* geochronology *under* Greenland; Manitoba
Prince Edward Island—geomorphology
processes: Large bedforms and associated hydraulic conditions within microtidal-inlet channels, southern Gulf of St. Lawrence, Canada (Matsushita, P. N., *et al.*) 6: 916-922
Prince Edward Island—stratigraphy
changes of level: Holocene sea levels, paleoceanography, and late glacial ice configuration near the Northumberland Strait, Maritime Provinces [discussion and reply] (Stea, R. R., *et al.*) 2: 348-351
problematic fossils—biostratigraphy
Cambrian: The status of Salterella as a Lower Cambrian index fossil (Fritz, W. H., *et al.*) 3: 403-416
Proterozoic *see also under* geochronology *under* Greenland; Labrador; Newfoundland; Ontario; Washington; *see also under* stratigraphy *under* British Columbia; Newfoundland; Ontario
Pyrenees *see also* France
Quaternary *see also under* geochronology *under* British Columbia; Great Lakes; Iceland; Ontario; *see also under* stratigraphy *under* Alaska; Atlantic Ocean; British Columbia; Maritime Provinces; Ontario
Quebec—economic geology
gold ores: Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec (Tourigny, Ghislain, *et al.*) 4: 581-592
lead-zinc deposits: Pb-Zn occurrences and their Pb-isotopic signatures bearing on metallogeny and mineral exploration; Paleozoic sedimentary rocks, Northern Appalachians, Quebec (Schrijver, K., *et al.*) 11: 1777-1790
Quebec—geochemistry
trace elements: Evidence for contrasting compositional spectra in comagmatic intrusive and extrusive rocks of the late Archean Blake River Group, Abitibi, Quebec (Paradis, Suzanne, *et al.*) 1: 134-144
Quebec—geomorphology
glacial geology: Rock pingos in northern Ungava Peninsula, Quebec, Canada (Seppala, Matti) 4: 629-634
Quebec—oceanography
sedimentation: Late winter-early spring sedimentation off the Great Whale River, southeastern Hudson Bay (d'Anglejan, B., *et al.*) 6: 930-933
Quebec—petrology
intrusions: Petrology and pyroxene chemistry of Monteregian dykes; the origin of concentric zoning and green cores in clinopyroxenes from alkali basalts and lamprophyres (Bedard, Jean H. J., *et al.*) 12: 2041-2058

magmas: Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec
(St. Seymour, Karen, *et al.*) 5: 691-700
metamorphic rocks: Retrograde eclogite from Mont Albert, Gaspe, Quebec
(Trzcienski, Walter E., Jr.) 1: 30-37
— Retrograde eclogite from Mont Albert, Gaspe, Quebec [discussion]
(Spray, John G.) 9: 1542-1543
volcanism: Volcanism on the passive margin of Laurentia; an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin
(Kumarapeli, Stephen, *et al.*) 11: 1824-1833

Quebec—stratigraphy
Devonian: Faunal assemblages of the Upper Gaspe Limestones, Early Devonian of eastern Gaspe, Quebec
(Lesperance, Pierre J., *et al.*) 9: 1432-1449
Ordovician: Age and correlation of the Honorat Group, southern Gaspe Peninsula
(Riva, John, *et al.*) 10: 1618-1628
— Provincialism of Ordovician chitinozoans
(Achab, Aicha) 4: 635-638
— Stratigraphy of the Aroostook-Perce Anticlinorium in the Gaspe Peninsula, Quebec
(Malo, Michel) 6: 893-908
Silurian: Stratigraphy of the Aroostook-Perce Anticlinorium in the Gaspe Peninsula, Quebec
(Malo, Michel) 6: 893-908

Quebec—structural geology
tectonics: Collision along an irregular margin; a regional plate tectonic interpretation of the Canadian Appalachians [discussion and reply]
(van Staal, Cees R., *et al.*) 11: 1912-1922

racemization *see under* geochronology
radioactive dating *see* absolute age
radiocarbon dating *see* absolute age

radiolarians—biostratigraphy
Mesozoic: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432

rare earths *see also* neodymium

rare earths—geochemistry
alkali basalts: Late Precambrian to Late Devonian mafic magmatism in the Antigonish Highlands of Nova Scotia; multistage melting of a hydrated mantle
(Murphy, J. Brendan) 4: 473-485
amphibolites: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337
basalts: North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry
(Papezik, V. S., *et al.*) 1: 74-83
chemically precipitated rocks: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133
gneisses: Geochemistry of the gneissic basement complex near Valemount, British Columbia; further evidence for a varied origin
(Chamberlain, V. E., *et al.*) 11: 1725-1739
iron formations: Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario
(Barrett, T. J., *et al.*) 4: 570-580
metamorphic rocks: Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec
(St. Seymour, Karen, *et al.*) 5: 691-700
volcanic rocks: Geochemistry and petrogenesis of the early Proterozoic Hemlock volcanic rocks and the Kiernan sills, southern Lake Superior region
(Ueng, Wen-long C., *et al.*) 4: 528-546

regional geology *see* areal geology under the appropriate area term

remote sensing *see also* geophysical methods; *see also under* geophysical surveys *under* Northwest Territories

reptiles *see also* Reptilia

Reptilia—Ornithischia
Cretaceous: The smallest ceratopsid skull; Judith River Formation of Alberta
(Dodson, Peter, *et al.*) 6: 926-930

Reptilia—Saurischia
Cretaceous: Osteology and relationships of Chirostenotes pergracilis (Saurischia, Theropoda) from the Judith River (Oldman) Formation of Alberta, Canada
(Currie, Philip J., *et al.*) 7: 972-986

Reptilia—Squamata
Cretaceous: The first record of the mosasaur Hainosaurus (Reptilia; Lacertilia) from North America
(Nicholls, Elizabeth L.) 10: 1564-1570

rock mechanics—frost action
glaciotectonics: Mesofabric, microfabric, and submicrofabric of ice-thrust bedrock, Highvale Mine, Wabamun Lake area, Alberta
(Tsui, Po C., *et al.*) 9: 1420-1431

rock mechanics—methods
data processing: A faster method for erosion and dilation of reservoir pore-complex images
(Parker, J. R.) 7: 1128-1131

Rocky Mountains *see also* the individual states and provinces

Rocky Mountains—geochemistry
trace elements: Geochemistry of late Proterozoic amphibolites and ultramafic rocks, southeastern Canadian Cordillera
(Sevigny, James H.) 8: 1323-1337

Rocky Mountains—structural geology
tectonics: Lithoprobe seismic reflection imaging of Rocky Mountain structures east of Canal Flats, British Columbia
(Eaton, David W. S., *et al.*) 9: 1339-1348
— Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702

Rocky Mountains—tectonophysics
crust: Lithoprobe seismic reflection imaging of Rocky Mountain structures east of Canal Flats, British Columbia
(Eaton, David W. S., *et al.*) 9: 1339-1348

rubidium—geochemistry
gold ores: Lithophile-element systematics of Archean greenstone belt Au-Ag vein deposits; implications for source processes
(Kerrich, R., *et al.*) 6: 945-953

Sahara *see also* the individual countries

Saskatchewan—economic geology
nickel ores: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan
(Powers, Laura J., *et al.*) 12: 1945-1954
uranium ores: Multigeneration pitchblende from the Midwest uranium-nickel deposit, northern Saskatchewan
(Powers, Laura J., *et al.*) 12: 1945-1954

Saskatchewan—geochemistry
sedimentary rocks: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563

Saskatchewan—geochronology
Cretaceous: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Paleocene: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097
Pleistocene: Age of the Frenchman Valley and associated drift south of the Cypress Hills, Saskatchewan, Canada
(Christiansen, E. A., *et al.*) 10: 1703-1708
— ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan
(Zymela, Steve, *et al.*) 2: 235-245
Tertiary: A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana
(Baadsgaard, H., *et al.*) 7: 1088-1097

Saskatchewan—geomorphology
glacial geology: Fire Lake Depression; a glacially eroded feature in southwestern Saskatchewan, Canada
(Christiansen, E. A., *et al.*) 12: 2130-2138

Saskatchewan—geophysical surveys
magnetotelluric surveys: A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan
(Maidens, J. M., *et al.*) 1: 60-67
— A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan [discussion]
(Jones, Alan G.) 7: 1132-1139
Saskatchewan—hydrogeology
hydrology: Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin
(Ashmore, P. E., *et al.*) 9: 1450-1463
Saskatchewan—stratigraphy
Pleistocene: Stratigraphy of the North Cliff section, Wellsch Valley site, Saskatchewan
(Mahaney, William C., *et al.*) 2: 206-214
Saskatchewan—tectonophysics
crust: A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan
(Maidens, J. M., *et al.*) 1: 60-67
— A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan [discussion]
(Jones, Alan G.) 7: 1132-1139
Scotland—geochemistry
crust: Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776
Scotland—stratigraphy
Cambrian: The status of Salterella as a Lower Cambrian index fossil
(Fritz, W. H., *et al.*) 3: 403-416
Scotland—structural geology
tectonics: Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776
sea-floor spreading *see also* plate tectonics
sedimentary rocks *see also* sedimentary structures; sedimentation; sediments
sedimentary rocks—carbonate rocks
environmental analysis: Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane
(Soja, Constance M.) 5: 639-656
— Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
sedimentary rocks—chemically precipitated rocks
evaporites: Stable isotopes in sulphate minerals from the Salina Formation in southwestern Ontario
(Fritz, P., *et al.*) 2: 195-205
ferromanganese composition: Ferromanganese deposits from the Gulf of Alaska seamount province; mineralogy, chemistry, and origin
(Koski, Randolph A.) 1: 116-133
iron formations: Rare-earth-element geochemistry of some Archean iron formations north of Lake Superior, Ontario
(Barrett, T. J., *et al.*) 4: 570-580
sedimentary rocks—clastic rocks
mudstone: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563
sedimentary rocks—environmental analysis
deltaic environment: Nonglaciogenic deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario
(Rainbird, R. H., *et al.*) 5: 710-724
sedimentary rocks—lithofacies
environmental analysis: Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland
(Gardiner, S., *et al.*) 10: 1579-1594
sedimentary rocks—lithostratigraphy
Cambrian: Lithostratigraphy of the Cambrian-Lower Ordovician Saint John Group, southern New Brunswick
(Tanoli, Saifullah K., *et al.*) 5: 669-690
— Variations in thickness of the Middle Cambrian in the western plateau region of Morocco; geodynamic significance of surface and subsurface data
(Bernardin, Christine, *et al.*) 12: 2104-2117
Eocene: Sedimentation and tectonics of the lower and middle Eocene Swauk Formation in eastern Swauk Basin, central Cascades, central Washington
(Taylor, Stephen B., *et al.*) 7: 1020-1036
Mesozoic: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432
Paleozoic: Stratigraphy of the Aroostook-Perce Anticlinorium in the Gaspe Peninsula, Quebec
(Malo, Michel) 6: 893-908
sedimentary structures *see also* sedimentary rocks; sediments
sedimentary structures—bedding plane irregularities
fossil ice wedges: Pleistocene epigenetic and sygenetic frost fissures, Belchatow, Poland
(French, H. M., *et al.*) 12: 2017-2027
sedimentary structures—environmental analysis
deltaic environment: Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*) 12: 1990-2004
sedimentary structures—interpretation
paleokarst: Open and filled karst features on the Cayman Islands; implications for the recognition of paleokarst
(Jones, Brian, *et al.*) 8: 1277-1291
sedimentary structures—planar bedding structures
cross-stratification: Subaqueous outwash deposits in the Ingraham Ridge, Chazy, New York
(Diemer, John A.) 9: 1384-1396
cyclothems: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563
rhythmite: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
sedimentary structures—turbidity current structures
graded bedding: Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland
(Gardiner, S., *et al.*) 10: 1579-1594
sedimentation—controls
tectonic controls: Biochronology of selected Bowser Basin strata; tectonic significance
(Moffat, I. W., *et al.*) 10: 1571-1578
— Sedimentation and tectonics of the lower and middle Eocene Swauk Formation in eastern Swauk Basin, central Cascades, central Washington
(Taylor, Stephen B., *et al.*) 7: 1020-1036
— Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington
(Garver, John) 3: 417-432
— The initiation of the early Paleozoic Cordilleran miogeocline; evidence from the uppermost Proterozoic–Lower Cambrian Hamill Group of southeastern British Columbia
(Devlin, William J., *et al.*) 1: 1-19
— Variations in thickness of the Middle Cambrian in the western plateau region of Morocco; geodynamic significance of surface and subsurface data
(Bernardin, Christine, *et al.*) 12: 2104-2117
sedimentation—cyclic processes
lacustrine sedimentation: Paleomagnetic dating of late glacial and postglacial sediments in Lake Superior
(Mothersill, John S.) 11: 1791-1799
lagoonal sedimentation: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
sedimentation—environment
glaciolacustrine environment: Lacustrine ostracodes in the late Pleistocene Sunnybrook diamicton of southern Ontario, Canada [discussion and reply]
(Nielsen, Erik, *et al.*) 10: 1717-1723
sebkha environment: Oxygen-18 and carbon-13 in the carbonates of the Salina Formation of southwestern Ontario
(O'Shea, K. J., *et al.*) 2: 182-194
— Stable isotopes in sulphate minerals from the Salina Formation in southwestern Ontario
(Fritz, P., *et al.*) 2: 195-205
shelf environment: Lingulid brachiopods and Lingulichnus from a Silurian shelf-slope carbonate sequence, Delorme

Group, Mackenzie Mountains, Northwest Territories
(Over, D. Jeffrey) 3: 465-471
— Lower Devonian platform carbonates from Kasaan Island, southeastern Alaska, Alexander Terrane
(Soja, Constance M.) 5: 639-656
sedimentation—processes
bioclastic sedimentation: Differential attrition of molluscan shells in freshwater sediments
(Pip, Eva) 1: 68-73
deep-sea sedimentation: Deep-water facies and depositional setting of the lower Conception Group (Hadrynian), southern Avalon Peninsula, Newfoundland
(Gardiner, S., *et al.*) 10: 1579-1594
— Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea; a history of bottom circulation and glaciation
(Myers, Robert A., *et al.*) 12: 2059-2074
deltaic sedimentation: Nonglaciogenic deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario
(Rainbird, R. H., *et al.*) 5: 710-724
— Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*) 12: 1990-2004
detrital sedimentation: Lithic geochemistry of the Claggett marine cyclothem in south-central Saskatchewan
(Whittaker, S. G., *et al.*) 10: 1554-1563
glacial sedimentation: Age of the Frenchman Valley and associated drift south of the Cypress Hills, Saskatchewan, Canada
(Christiansen, E. A., *et al.*) 10: 1703-1708
— Sedimentation in an esker system influenced by bedrock topography near Kingston, Ontario
(Henderson, Penny J.) 7: 987-999
glaciofluvial sedimentation: A pre-Paris ice-sheet limit near Guelph, southern Ontario
(Straw, Allan) 11: 1871-1883
— Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the late Wisconsinan ice sheet [discussion and reply]
(Seppala, Matti, *et al.*) 2: 352-353
— Subaqueous outwash deposits in the Ingraham Ridge, Chazy, New York
(Diemer, John A.) 9: 1384-1396
glaciolacustrine sedimentation: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
glaciomarine sedimentation: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
— Sediment distribution and sea-floor morphology of Storbanken; implications for the glacial history of the northern Barents Sea
(Solheim, Anders, *et al.*) 4: 547-556
intertidal sedimentation: Large bedforms and associated hydraulic conditions within microtidal-inlet channels, southern Gulf of St. Lawrence, Canada
(Matsushita, P. N., *et al.*) 6: 916-922
lacustrine sedimentation: Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance
(Eyles, Nicholas, *et al.*) 7: 1108-1122
sedimentation—provenance
terranes: Source terranes for Proterozoic sedimentary rocks in southern British Columbia; Nd isotopic and petrographic evidence
(Burwash, R. A., *et al.*) 6: 824-832
till: Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800
sedimentation—sedimentation rates
glaciolacustrine sedimentation: Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*) 6: 810-823
lacustrine sedimentation: Late Quaternary history of the Lake O'Hara region, British Columbia; an evaluation of sedimentation rates and bulk amino acid ratios in lacustrine records
(Reasoner, Mel A., *et al.*) 7: 1037-1048
marine sedimentation: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results
(Thouveny, N.) 6: 833-843
nearshore sedimentation: Late winter-early spring sedimentation off the Great Whale River, southeastern Hudson Bay
(d'Anglejan, B., *et al.*) 6: 930-933
— Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810
sedimentation—transport
marine transport: Surficial sediments of the outer banks, Scotian Shelf, Canada
(Amos, Carl Leonetto, *et al.*) 12: 1923-1944
stream transport: Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada
(Sutherland, Ross A., *et al.*) 2: 167-181
— Solute sources and transport in an ephemeral badland catchment, southeastern Alberta, Canada [discussion]
(Brookes, Ian A.) 8: 1338
— Spatial and temporal patterns of suspended-sediment yield in the Saskatchewan River basin
(Ashmore, P. E., *et al.*) 9: 1450-1463
sediments *see also* sedimentary rocks; sedimentary structures; sedimentation
sediments—clastic sediments
environmental analysis: History of sedimentation of the northwestern Lake Superior Basin and its relation to Lake Agassiz overflow
(Teller, James T., *et al.*) 10: 1660-1673
— Holocene sedimentation in glacial Tasikutaaq Lake, Baffin Island
(Lemmen, Donald S., *et al.*) 6: 810-823
— Last interglacial sediments of the Don Valley Brickyard, Toronto, Canada, and their paleoenvironmental significance
(Eyles, Nicholas, *et al.*) 7: 1108-1122
outwash: A pre-Paris ice-sheet limit near Guelph, southern Ontario
(Straw, Allan) 11: 1871-1883
— Sedimentation in an esker system influenced by bedrock topography near Kingston, Ontario
(Henderson, Penny J.) 7: 987-999
— Subaqueous outwash deposits in the Ingraham Ridge, Chazy, New York
(Diemer, John A.) 9: 1384-1396
Paleosols: Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198
till: Drift carbonate on the Canadian Shield; II, Carbonate dispersal and ice-flow patterns in northern Manitoba
(Dredge, L. A.) 5: 783-787
— Genesis of carbonate till in the lee sides of Precambrian Shield uplands, Hemlo area, Ontario [discussion and reply]
(Wahl, W. G., *et al.*) 5: 799-800
— Stratigraphy of the North Cliff section, Wellsch Valley site, Saskatchewan
(Mahaney, William C., *et al.*) 2: 206-214
sediments—environmental analysis
lagoonal environment: Stratigraphy of the Sixteen Mile Creek lagoon, and its implications for Lake Ontario water levels
(Flint, J. E., *et al.*) 8: 1175-1183
sediments—lithofacies
environmental analysis: Slave River data; geomorphology, sedimentology, and Holocene reconstruction
(Vanderburgh, Sandy, *et al.*) 12: 1990-2004
sediments—marine sediments
distribution: Sediment distribution and sea-floor morphology of Storbanken; implications for the glacial history of the northern Barents Sea
(Solheim, Anders, *et al.*) 4: 547-556
— Surficial sediments of the outer banks, Scotian Shelf, Canada
(Amos, Carl Leonetto, *et al.*) 12: 1923-1944
environmental analysis: Probable late Wisconsinan ice margin on the upper continental slope off St. Pierre Bank, eastern Canada
(Bonifay, Denis, *et al.*) 6: 853-865
lithofacies: Seismic stratigraphy of late Cenozoic sediments in the northern Labrador Sea; a history of bottom circula-

tion and glaciation
(Myers, Robert A., *et al.*) 12: 2059-2074
paleomagnetism: High-resolution palaeomagnetic study of late Pleistocene sediments from Baffin Bay; first results
(Thouveny, N.) 6: 833-843
properties: Sediment characteristics and sea-level history of Royal Roads Anchorage, Victoria, British Columbia
(Linden, R. H., *et al.*) 11: 1800-1810

sediments—pore water
salinity: Origin of salt in coastal marshes of Hudson and James bays
(Price, Jonathan S., *et al.*) 1: 145-147

seismic methods *see under* geophysical methods

seismic surveys *see under* geophysical surveys *under* Atlantic Ocean; British Columbia; Pacific Ocean

seismology *see also* engineering geology

seismology—earthquakes
prediction: An assessment of the megathrust earthquake potential of the Cascadia subduction zone
(Rogers, Garry C.) 6: 844-852

seismology—theoretical studies
elastic waves: The Alekseev-Mikhailenko method applied to P-S_V wave propagation in an elastic medium
(Pascoe, L. J., *et al.*) 2: 226-234

shear zones *see under* effects *under* faults

Shetland Islands—geochemistry
trace elements: Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776

Shetland Islands—geochronology
Ordovician: Thrust-related metamorphism beneath the Shetland Islands oceanic fragment, Northeast Scotland
(Spray, John G.) 11: 1760-1776

shore features *see under* geomorphology

sills *see under* intrusions

Silurian *see also under* stratigraphy *under* Northwest Territories; Quebec; Yukon Territory

silver ores *see also under* economic geology *under* British Columbia; Canadian Shield

slope stability *see also* engineering geology; geomorphology; *see also under* engineering geology *under* Alberta

soil mechanics *see also* rock mechanics

soils—surveys
Labrador: Glacial geology of the Torngat Mountains, Labrador
(Clark, Peter U.) 8: 1184-1198
Ontario: Pipe flow in James Bay coastal wetlands
(Woo, Ming-ko, *et al.*) 4: 625-629
Yukon Territory: Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada
(Burn, C. R., *et al.*) 6: 909-915

soils—water regimes
movement: Rates of infiltration into frozen and unfrozen fine sand
(Engelmark, Helen) 2: 343-347

solution features *see under* geomorphology

South America *see also* Andes; Chile

Southern Hemisphere *see also* Atlantic Ocean; Pacific Ocean

spectrometry *see* spectroscopy

spectroscopy *see also* chemical analysis

spectroscopy—methods
electron paramagnetic resonance: ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan
(Zymela, Steve, *et al.*) 2: 235-245

Spitsbergen—stratigraphy
Cambrian: The status of Salterella as a Lower Cambrian index fossil
(Fritz, W. H., *et al.*) 3: 403-416

springs *see also* ground water

strontium—isotopes
Sr-87/Sr-86: Isotopically depleted, alkalic lavas from Bowie Seamount, Northeast Pacific Ocean
(Cousens, Brian L.) 10: 1708-1716
— The isotopic composition of strontium of the Early Jurassic North Mountain Basalts, Nova Scotia
(Jones, Lois M., *et al.*) 6: 942-944

structural analysis *see also* folds; foliation; tectonics

structural analysis—interpretation
metasedimentary rocks: A fault-bounded outlier of Archean clastic rocks near Thunder Bay, Ontario
(Kehlenbeck, M. M.) 1: 152-157
petrofabrics: Deformational geometry and tectonic significance of a portion of the Chilliwack Group, northwestern Cascades, Washington
(Smith, Moira) 3: 433-441
— Structural evolution of basement gneisses and Hadrynian cover, Bulldog Creek area, Rocky Mountains, British Columbia
(McDonough, Michael R., *et al.*) 10: 1687-1702
polyphase processes: Geology of part of a long-lived dynamic plate margin; the coastal cordillera of north-central Chile, latitude 30°51′-31°S
(Irwin, James J., *et al.*) 4: 603-624
— Structural geology of the Blake River Group at the Bousquet Mine, Abitibi, Quebec
(Tourigny, Ghislain, *et al.*) 4: 581-592
transpression: Transpression in an Archean greenstone belt, northern Minnesota
(Hudleston, P. J., *et al.*) 7: 1060-1068
— Transpression in slates along the margin of an Archean gneiss belt, northern Ontario; magnetic fabrics and petrofabrics
(Borradaile, G., *et al.*) 7: 1069-1077

structural analysis—preferred orientation
olivine: Seismic evidence for mantle flow beneath the Massif Central rift zone (France)
(Ramananantoandro, R.) 12: 2139-2142

structural petrology *see* structural analysis

sulfides *see under* minerals

techniques *see under* chemical analysis

tectonics *see also* faults; folds; geosynclines; orogeny; plate tectonics; structural analysis; *see also under* structural geology *under* British Columbia; Canadian Shield; New Brunswick; Newfoundland; Ontario; Pacific Coast; Quebec; Rocky Mountains; Scotland; Washington

tectonics—vertical movements
subsidence: A quantitative analysis of lithospheric subsidence due to thinning by simple shear
(Mudford, Brett S.) 1: 20-29

tephrochronology *see under* geochronology

terraces *see under* fluvial features *under* geomorphology

terrestrial crust *see* crust

terrestrial mantle *see* mantle

Tertiary *see also under* geochronology *under* Alberta; Montana; Saskatchewan; *see also under* stratigraphy *under* Alberta

theoretical studies *see under* deformation; seismology

thermal analysis *see also* chemical analysis; spectroscopy

thrust faults *see under* displacements *under* faults

tourmaline *see under* ore guides *under* mineral exploration

trace elements *see under* geochemistry *under* Alberta; British Columbia; Canadian Shield; Great Lakes region; Labrador; lava; metamorphic rocks; Michigan; Nova Scotia; Ontario; Pacific Ocean; Quebec; Rocky Mountains; Shetland Islands

tracks and trails *see* ichnofossils

Triassic *see also under* stratigraphy *under* British Columbia

trilobites—biostratigraphy
Ordovician: An Ibexian (Early Ordovician) trilobite faunule from the type section of the Rabbitkettle Formation (southern Mackenzie Mountains, Northwest Territories)
(Pratt, Brian R.) 10: 1595-1607

trilobites—paleoecology
Devonian: Faunal assemblages of the Upper Gaspe Limestones, Early Devonian of eastern Gaspe, Quebec
(Lesperance, Pierre J., *et al.*) 9: 1432-1449

tritium *see also* hydrogen

tritium—geochemistry
ground ice: Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada
(Burn, C. R., *et al.*) 6: 909-915

turbidity current structures *see under* sedimentary structures

underground water *see* ground water

United Kingdom *see also* Scotland

United States *see also* Alaska; California; Michigan; Minnesota; Montana; Nevada; New York; Oregon; Pacific Coast; Washington

uranium—geochemistry
ground water: Uranium in groundwaters of southeastern Manitoba, Canada (Betcher, R. N., *et al.*) 12: 2089-2103
plutonic rocks: Geophysical interpretation of the geology of the Northeast Gander Terrane, Newfoundland (Miller, H. G.) 8: 1161-1174

uranium ores *see also under* economic geology *under* Saskatchewan

Vertebrata *see also* ichnofossils; Mammalia; problematic fossils; Reptilia

vertebrates *see also* mammals

vertebrates—paleoecology
Quaternary: Late Pleistocene and Holocene vertebrates and palaeoenvironments from Charlie Lake Cave, Northeast British Columbia (Driver, Jonathan C.) 10: 1545-1553

volcanic rocks *see under* igneous rocks

volcanism *see under* volcanology

volcanoes *see under* volcanology

volcanology—volcanism
evolution: Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt, New Quebec (St. Seymour, Karen, *et al.*) 5: 691-700
fissures: North Mountain Basalt from Digby, Nova Scotia; models for a fissure eruption from stratigraphy and petrochemistry (Papezik, V. S., *et al.*) 1: 74-83
passive margins: Volcanism on the passive margin of Laurentia; an early Paleozoic analogue of Cretaceous volcanism on the northeastern American margin (Kumarapeli, Stephen, *et al.*) 11: 1824-1833
periodicity: Physical volcanology of the footwall rocks near Mattabi massive sulphide deposit, Sturgeon Lake, Ontario (Groves, D. A., *et al.*) 2: 280-291
— U-Pb ages of early and middle Proterozoic volcanism and metamorphism in the Makkovik Orogen, Labrador (Scharer, U., *et al.*) 7: 1098-1107
plate tectonics: Stratigraphy and tectonic significance of Cretaceous volcanism in the Queen Elizabeth Islands, Canadian Arctic Archipelago (Embry, Ashton F., *et al.*) 8: 1209-1219

volcanology—volcanoes
Popocatepetl: Relations between eruption dynamics and deep magmatic replenishment of Popocatepetl (Boudal, Christian, *et al.*) 7: 955-971

Washington—geochronology
Proterozoic: New isotopic data and a preliminary age for volcanics near the base of the Windermere Supergroup, northeastern Washington, U.S.A. (Devlin, William J., *et al.*) 11: 1906-1911

Washington—stratigraphy
Cretaceous: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington (Garver, John) 3: 417-432
Eocene: Sedimentation and tectonics of the lower and middle Eocene Swauk Formation in eastern Swauk Basin, central Cascades, central Washington (Taylor, Stephen B., *et al.*) 7: 1020-1036
Jurassic: Stratigraphy, depositional setting, and tectonic significance of the clastic cover to the Fidalgo Ophiolite, San Juan Islands, Washington (Garver, John) 3: 417-432

Washington—structural geology
tectonics: Deformational geometry and tectonic significance of a portion of the Chilliwack Group, northwestern Cascades, Washington (Smith, Moira) 3: 433-441

water *see also* ground water; hydrogeology; hydrology

weathering *see also under* geomorphology *under* Labrador

Western Hemisphere *see also* Atlantic Ocean; North America; Pacific Ocean

Western U.S. *see also* Alaska; California; Montana; Nevada; Oregon; Pacific Coast; Washington

xenoliths *see under* inclusions

X-ray analysis *see also* chemical analysis; spectroscopy

Yukon Territory—engineering geology
permafrost: Evidence for recent temperature-induced water migration into permafrost from the tritium content of ground ice near Mayo, Yukon Territory, Canada (Burn, C. R., *et al.*) 6: 909-915

Yukon Territory—geomorphology
glacial geology: Massive ground ice and ice-cored terrain near Sabine Point, Yukon coastal plain (Harry, D. G., *et al.*) 11: 1846-1856
— Stable-isotope pattern predicted in surge-type glaciers (Waddington, E. D., *et al.*) 5: 657-668

Yukon Territory—stratigraphy
Cretaceous: Northward motion of the Whitehorse Trough; paleomagnetic evidence from the Upper Cretaceous Carmacks Group (Marquis, Guy, *et al.*) 12: 2005-2016
Devonian: Upper Silurian and Lower Devonian graptolites and graptolite biostratigraphy, northern Yukon, Canada (Lenz, Alfred C.) 3: 355-369
Silurian: Upper Silurian and Lower Devonian graptolites and graptolite biostratigraphy, northern Yukon, Canada (Lenz, Alfred C.) 3: 355-369

zoogeography *see* biogeography